Page 1 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 04.03.2013 / 0003 Replaces revision of / Version: 19.01.2011 / 0002 Valid from: 04.03.2013 PDF print date: 05.03.2013 PAG Öl ultrahohe Viskosität ISO 150 8887200008/ 8887200019

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

GB

PAG Öl ultrahohe Viskosität ISO 150 8887200008/ 8887200019

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Lubricant Sector of use [SU]: SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen) Chemical product category [PC]: PC24 - Lubricants, greases, release products Process category [PROC]: PROC20 - Heat and pressure transfer fluids in dispersive, professional use but closed systems Article Categories [AC]: AC 1 - Vehicles Environmental Release Category [ERC]: ERC 7 - Industrial use of substances in closed systems **Uses advised against:**

No information available at present.

1.3 Details of the supplier of the safety data sheet

Dometic Deutschland GmbH, In der Steinwiese 16, D-57074 Siegen Telephone +49 271 692 0, Fax +49 271 692 300

œ

Dometic UK Ltd Dometic House, The Brewery, UK-DT11 9LS Blandford St Mary, Dorset Telefon: +44 (0) 0844 626 0133, Telefax.: +44 (0) 0844 626 0143 www.waeco.de

E-mail address of the competent person: info@chemical-check.de, k.schnurbusch@chemical-check.de

1.4 Emergency telephone Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

Tel.: +49 (0) 700 / 24 112 112 (CCWA)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

2.1.2 Classification according to Directives 67/548/EEC and 1999/45/EC (including amendments)

The mixture is not classified as dangerous in the terms of the directive 1999/45/EC.

2.2 Label elements

2.2.1 Labeling according to Regulation (EC) 1272/2008 (CLP)

@B-

Page 2 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 04.03.2013 / 0003 Replaces revision of / Version: 19.01.2011 / 0002 Valid from: 04.03.2013 PDF print date: 05.03.2013 PAG Öl ultrahohe Viskosität ISO 150 8887200008/ 8887200019

Not applicable 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006.

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006.

SECTION 3: Composition/information on ingredients

3.1 Substance

n.a. 3.2 Mixture

Registration number (REACH)	
Index	-
EINECS, ELINCS, NLP	-
CAS	-
content %	
Classification according to Directive 67/548/EEC	
Classification according to Regulation (EC) 1272/2008 (CLP)	

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Call doctor immediately - have Data Sheet available.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

n.c.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

CO2 Dry extinguisher Alcohol resistant foam Water jet spray

Unsuitable extinguishing media

High volume water jet **5.2 Special hazards arising from the substance or mixture**

In case of fire the following can develop:

Oxides of carbon

@-

Page 3 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 04.03.2013 / 0003 Replaces revision of / Version: 19.01.2011 / 0002 Valid from: 04.03.2013 PDF print date: 05.03.2013 PAG Öl ultrahohe Viskosität ISO 150 8887200008/ 8887200019

Toxic pyrolysis products. **5.3 Advice for firefighters**

Protective respirator with independent air supply. According to size of fire Full protection, if necessary Cool container at risk with water. Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure sufficient supply of air.

Avoid contact with eyes or skin. Do not carry cleaning cloths soaked in product in trouser pockets.

If applicable, caution - risk of slipping

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

Avoid aerosol formation.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Do not heat to temperatures close to flash point.

Electrical equipment must be suitable for temperature class T 2 (Germany).

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells. Store product closed and only in original packing.

Protect against moisture and store closed.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

B Page 4 of 10

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 04.03.2013 / 0003 Replaces revision of / Version: 19.01.2011 / 0002 Valid from: 04.03.2013 PDF print date: 05.03.2013 PAG Öl ultrahohe Viskosität ISO 150 8887200008/ 8887200019

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles (EN 166) with side protection, with danger of projections.

Protective gloves in butyl rubber (EN 374).

Minimum layer thickness in mm: 0,7 Permeation time (penetration time) in minutes: 480 With short-term contact: Protective nitrile gloves (EN 374) Minimum layer thickness in mm:

0,4 Permeation time (penetration time) in minutes: 30

Protective hand cream recommended.

Skin protection - Hand protection:

Skin protection - Other:

Respiratory protection: If fumes build up, use suitable breathing mask. Filter A2 P2 (EN 14387), code colour brown, white Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments)

Normally not necessary.

Thermal hazards:

If applicable, these are included in the individual protective measures (eye/face protection, skin protection, respiratory protection).

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Colour: Odour: Odour threshold: pH-value: Melting point/freezing point: Initial boiling point and boiling range: Liquid Light yellow Characteristic Not determined 5-7 (100 g/l, 20°C, SAE) -45 °C (DIN 51583, Setting point) Not determined

Page 5 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 04.03.2013 / 0003 Replaces revision of / Version: 19.01.2011 / 0002 Valid from: 04.03.2013 PDF print date: 05.03.2013 PAG Öl ultrahohe Viskosität ISO 150 8887200008/ 8887200019

Flash point: Evaporation rate: Flammability (solid, gas): Lower explosive limit: Upper explosive limit: Vapour pressure: Vapour density (air = 1): Density: Bulk density: Solubility(ies): Water solubility: Partition coefficient (n-octanol/water): Auto-ignition temperature: Auto-ignition temperature: Decomposition temperature: Viscosity: Explosive properties: Oxidising properties: 9.2 Other information Miscibility: Fat solubility / solvent: Conductivity: Surface tension: Solvents content:

240 °C (DIN 51376 (Cleveland, open cup)) Not determined Not determined n.a. n.a. Not determined n.a. 0,996 g/cm3 (20°C, DIN 51757) n.a. Not determined Insoluble n.a. 360 °C (DIN 51794, Ignition temperature) No Not determined 120 mm2/s (50°C, DIN 51562) Not determined Not determined

Not determined Not determined Not determined Not determined Not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

(GB)

See also Subsection 10.2 to 10.6. The product has not been tested.

10.2 Chemical stability

See also Subsection 10.1 to 10.6. Stable with proper storage and handling. **10.3 Possibility of hazardous reactions** See also Subsection 10.1 to 10.6.

10.4 Conditions to avoid

See also section 7. Strong heat Protect from humidity. **10.5 Incompatible materials** See also section 7.

No dangerous reactions are known.

10.6 Hazardous decomposition products

See also Subsection 10.1 to 10.5. See also section 5.2

SECTION 11: Toxicological information

Possibly more information on health effects, see Section 2.1 (classification).

PAG Öl ultrahohe Viskosität ISO 150 8887200008/ 8887200019

Toxicity/effect	Endpoi	Value	Unit	Organism	Test method	Notes
	nt					
Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by dermal						n.d.a.
route:						
Acute toxicity, by inhalation:						n.d.a.

Page 6 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 04.03.2013 / 0003 Replaces revision of / Version: 19.01.2011 / 0002 Valid from: 04.03.2013 PDF print date: 05.03.2013 PAG Öl ultrahohe Viskosität ISO 150 8887200008/ 8887200019

(GB)

n.d.a.
n.d.a.
n.d.a.
n.d.a.
n.d.a.
n.d.a.
n.d.a.
n.d.a.
n.d.a.
n.d.a.
n.d.a.
n.d.a.
Classification according
to calculation
procedure.

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification). PAG Öl ultrahohe Viskosität ISO 150 8887200008/ 8887200019

Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to fish:							n.d.a.
Toxicity to daphnia:							n.d.a.
Toxicity to algae:							n.d.a.
Persistence and			<20	%		Zahn-Wellens-	Not readily
degradability:						Test	biodegradable
Bioaccumulative							n.d.a.
potential:							
Mobility in soil:							n.d.a.
Results of PBT and							n.d.a.
vPvB assessment:							
Other adverse effects:							n.d.a.
Other information:							According to the recipe,
							contains no AOX.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

Soaked polluted cloths, paper or other organic materials represent a fire hazard and should be controlled, collected and disposed of. EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2001/118/EC, 2001/119/EC, 2001/573/EC)

13 02 08 other engine, gear and lubricating oils

Recommendation:

Pay attention to local and national official regulations E.g. suitable incineration plant.

For contaminated packing material

Pay attention to local and national official regulations

15 01 02 plastic packaging

15 01 04 metallic packaging

GB)				
Page 7 of 10				
Safety data sheet according to Regulation (EC) No 1907/200	6, Annex II			
Revised on / Version: 04.03.2013 / 0003				
Replaces revision of / Version: 19.01.2011 / 0002 Valid from: 04.03.2013				
PDF print date: 05.03.2013				
PAG Öl ultrahohe Viskosität ISO 150 8887200008/ 88872000)19			
Empty container completely. Uncontaminated packaging can be recycled. Dispose of packaging that cannot be cleaned in the same ma	anner as the substance.			
	Transport information			
General statements				
UN number:	n.a.			
Transport by road/by rail (ADR/RID)				
UN proper shipping name:				
Transport hazard class(es):	n.a.			
Packing group:	n.a.			
Classification code:	n.a.			
LQ (ADR 2011):	n.a.			
LQ (ADR 2009):	N.a. Nat applicable			
Environmental hazards: Tunnel restriction code:	Not applicable			
Transport by sea (IMDG-code)				
UN proper shipping name:				
Transport hazard class(es):	n.a.			
Packing group: Marine Pollutant:	n.a.			
Environmental hazards:	n.a Not applicable			
	Not applicable			
Transport by air (IATA)				
UN proper shipping name:				
Transport hazard class(es):	n.a.			
Packing group: Environmental hazards:	n.a. Not applicable			
Special precautions for user	not applicable			
Unless specified otherwise, general measures for safe transp	port must be followed			
Transport in bulk according to Annex II of MA Non-dangerous material according to Transport Regulations.				
	Regulatory information			
15.1 Safety, health and environmental regulat	tions/legislation specific for the substance or mixture			
For classification and labelling see Section 2.				
Observe restrictions:	n.a.			
VOC (1999/13/EC):	0%			
15.2 Chemical safety assessment				
A chemical safety assessment is not provided for mixtures.				
SECTION 16	6: Other information			
These details refer to the product as it is delivered				
These details refer to the product as it is delivered. Revised sections:	2			
	the classification of the mixture in accordance with			
Any abbreviations and a	cronyms used in this document:			

(GB) Page 8 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 04.03.2013 / 0003 Replaces revision of / Version: 19.01.2011 / 0002 Valid from: 04.03.2013 PDF print date: 05.03.2013 PAG Öl ultrahohe Viskosität ISO 150 8887200008/ 8887200019 AC Article Categories acc., acc. to according, according to ACGIHAmerican Conference of Governmental Industrial Hygienists ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOEL Acceptable Operator Exposure Level AOX Adsorbable organic halogen compounds approximately approx. Art., Art. no. Article number ATE Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP) BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF **Bioconcentration factor** BGV Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation) BHT Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol) BMGV Biological monitoring guidance value (EH40, UK) BOD Biochemical oxygen demand BSEF Bromine Science and Environmental Forum bw body weight CAS Chemical Abstracts Service CESIO Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques **CIPAC** Collaborative International Pesticides Analytical Council CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic COD Chemical oxygen demand CTFA Cosmetic, Toiletry, and Fragrance Association DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon DT50 Dwell Time - 50% reduction of start concentration DVS Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association for Welding and Allied Processes) dw drv weight e.g. for example (abbreviation of Latin 'exempli gratia'), for instance EC European Community ECHA European Chemicals Agency EEA European Economic Area European Economic Community EEC EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European List of Notified Chemical Substances ΕN European Norms United States Environmental Protection Agency (United States of America) EPA ERC Environmental Release Categories ES Exposure scenario etc. et cetera ΕU European Union EWC European Waste Catalogue Fax number Fax. general gen. GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential HET-CAM Hen's Egg Test - Chorionallantoic Membrane HGWP Halocarbon Global Warming Potential IARC International Agency for Research on Cancer IATA International Air Transport Association IBC Intermediate Bulk Container IBC (Code) International Bulk Chemical (Code) IC Inhibitory concentration International Maritime Code for Dangerous Goods IMDG-code incl. including, inclusive IUCLIDInternational Uniform ChemicaL Information Database LC lethal concentration

_ (B)
Page 9 of 10
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revised on / Version: 04.03.2013 / 0003
Replaces revision of / Version: 19.01.2011 / 0002
Valid from: 04.03.2013
PDF print date: 05.03.2013
PAG Öl ultrahohe Viskosität ISO 150 8887200008/ 8887200019
LC50 lethal concentration 50 percent kill
LCLo lowest published lethal concentration
LD Lethal Dose of a chemical
LD50 Lethal Dose, 50% kill
LDLo Lethal Dose Low
LOAELLowest Observed Adverse Effect Level
LOEC Lowest Observed Effect Concentration
LOEL Lowest Observed Effect Level
LQ Limited Quantities MARPOL International Convention for the Prevention of Marine Pollution from Ships
n.a. not applicable
n.av. not available
n.c. not checked
n.d.a. no data available
NIOSHNational Institute of Occupational Safety and Health (United States of America)
NOAEC No Observed Adverse Effective Concentration
NOAEL No Observed Adverse Effect Level NOEC No Observed Effect Concentration
NOEC No Observed Effect Level
ODP Ozone Depletion Potential
OECD Organisation for Economic Co-operation and Development
org. organic
PAH polycyclic aromatic hydrocarbon
PBT persistent, bioaccumulative and toxic
PC Chemical product category
PE Polyethylene PNEC Predicted No Effect Concentration
POCP Photochemical ozone creation potential
ppm parts per million
PROC Process category
PTFE Polytetrafluorethylene
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning
the Registration, Evaluation, Authorisation and Restriction of Chemicals)
REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission
via REACH-IT.
RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the
International Carriage of Dangerous Goods by Rail)
SADT Self-Accelerating Decomposition Temperature
SAR Structure Activity Relationship
SU Sector of use
SVHC Substances of Very High Concern
Tel. Telephone ThOD Theoretical oxygen demand
TOC Total organic carbon
TRGS Technische Regeln für Gefahrstoffe (=Technical Regulations for Hazardous Substances)
VbF Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria))
VOC Volatile organic compounds
vPvB very persistent and very bioaccumulative
WEL-TWA, WEL-STEL WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted
average) reference period), WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period) (EH40, UK).
WHO World Health Organization
wwt wet weight
The statements made here should describe the product with regard to the necessary safety precautions - they are
not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.
These statements were made by:
Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax:
+49 5233 94 17 90

+49 5233 94 17 90

Page 10 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 04.03.2013 / 0003 Replaces revision of / Version: 19.01.2011 / 0002 Valid from: 04.03.2013 PDF print date: 05.03.2013 PAG Öl ultrahohe Viskosität ISO 150 8887200008/ 8887200019

œ

 $^{\odot}$ by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.