

Safety Data Sheet

according to UK REACH Regulation

JMC Under body protection black 1 ltr

Revision date: 31.08.2022

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

JMC Under body protection black 1 ltr

UFI: 3HN3-H66W-FF02-9JNG

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Plating agent

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: Johannes J. Matthies GmbH & Co. KG
Street: Hammerbrookstr. 97
Place: D-20097 Hamburg
Telephone: + 49 (0) 40 2 37 21-0
e-mail: info@matthies.de
Internet: www.matthies.de

Supplier

Company name: Larsson UK Ltd.
Street: 7 Alpha Court, Phoenix Parkway
Place: GB-NN17 5DP Corby
Telephone: + 44 1536 265633
e-mail: info@larsson.uk.com
Internet: www.larsson.uk.com

1.4. Emergency telephone number:

+ 44 1536 265633

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Flam. Liq. 3; H226
Asp. Tox. 1; H304
STOT SE 3; H336
Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclenes, < 2 % aromatics
Hydrocarbons, C9, aromates

Signal word: Danger

Pictograms:



Safety Data Sheet

according to UK REACH Regulation

JMC Under body protection black 1 ltr

Revision date: 31.08.2022

Page 2 of 10

Hazard statements

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P271	Use only outdoors or in a well-ventilated area.
P312	Call a POISON CENTER/doctor if you feel unwell.
P403	Store in a well-ventilated place.
P501	Dispose of contents/container to an appropriate recycling or disposal facility.

Special labelling of certain mixtures

EUH066	Repeated exposure may cause skin dryness or cracking.
--------	---

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclenes, < 2 % aromatics			25 - < 50 %
	927-241-2		01-2119471843-32	
	Flam. Liq. 3, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 3; H226 H336 H304 H412 EUH066			
	Hydrocarbons, C9, aromates			5 - < 10 %
	918-668-5		01-2119455851-3	
	Flam. Liq. 3, STOT SE 3, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H226 H335 H336 H304 H411 EUH066			
108-32-7	propylene carbonate			< 2,5 %
	203-572-1	607-194-00-1		
	Eye Irrit. 2; H319			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
	927-241-2	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclenes, < 2 % aromatics	25 - < 50 %
	inhalation: LC50 = > 6100 mg/l (vapours); dermal: LD50 = > 3160 mg/kg; oral: LD50 = > 15000 mg/kg		
	918-668-5	Hydrocarbons, C9, aromates	5 - < 10 %
	dermal: LD50 = 3160 mg/kg; oral: LD50 = 3592 mg/kg		

Further Information

Benzene (EG-No: 200-753-7): < 0,1 %

SECTION 4: First aid measures**4.1. Description of first aid measures**

Safety Data Sheet

according to UK REACH Regulation

JMC Under body protection black 1 ltr

Revision date: 31.08.2022

Page 3 of 10

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. Call a doctor if you feel unwell.

After contact with skin

Wash with plenty of soap and water.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water. Provide fresh air. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Carbon dioxide (CO₂), Extinguishing powder, Water spray jet.

In case of major fire and large quantities: Water spray jet, alcohol resistant foam.

5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air.

In case of fire may be liberated: Pyrolysis products, toxic

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Evacuate area. Provide adequate ventilation.

For non-emergency personnel

Remove all sources of ignition. Use personal protection equipment.

For emergency responders

Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up**For containment**

Stop leak if safe to do so.

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Provide adequate ventilation.

Safety Data Sheet

according to UK REACH Regulation

JMC Under body protection black 1 ltr

Revision date: 31.08.2022

Page 4 of 10

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

No special measures are necessary.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharges.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Plating agent

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
8052-42-4	Asphalt, petroleum fumes	-	5		TWA (8 h)	WEL
		-	10		STEL (15 min)	WEL

8.2. Exposure controls**Protective and hygiene measures**

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

Eye/face protection

Wear eye/face protection. (goggles)

Hand protection

Hand protection is not required.

Skin protection

Body protection: not required.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Use a respiratory filter unit in the event of brief or low exposure. A respirator with an independent oxygen supply must be used in the event of more intensive or longer exposure.

Type: A2/P3

Environmental exposure controls

Avoid release to the environment.

Safety Data Sheet

according to UK REACH Regulation

JMC Under body protection black 1 ltr

Revision date: 31.08.2022

Page 5 of 10

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	Liquid	
Colour:	various	
Odour:	characteristic	
Odour threshold:	not determined	
pH-Value:		not determined

Changes in the physical state

Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		143 °C
Flash point:		30 °C

Flammability

Solid/liquid:	not applicable
Gas:	not applicable

Explosive properties

In use may form flammable/explosive vapour-air mixture.

Lower explosion limits:	0,7 g/m ³
Upper explosion limits:	7,5 g/m ³
Auto-ignition temperature:	approx. 490 °C
Decomposition temperature:	not determined
Vapour pressure:	not determined
Density (at 20 °C):	0,8 g/cm ³
Water solubility:	immiscible
Solubility in other solvents	not determined
Partition coefficient n-octanol/water:	not determined
Viscosity / kinematic: (at 20 °C)	20,5 mm ² /s
Relative vapour density:	not determined
Solvent content:	EU-VOC: 467,2 g/l EU-VOC %: 59,90 %

9.2. Other information

Solid content:	0,0 %
----------------	-------

SECTION 10: Stability and reactivity**10.1. Reactivity**

No information available.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Vapours can form explosive mixtures with air.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

No information available.

Safety Data Sheet

according to UK REACH Regulation

JMC Under body protection black 1 ltr

Revision date: 31.08.2022

Page 6 of 10

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in GB CLP Regulation****Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclenes, < 2 % aromatics				
	oral	LD50 > 15000 mg/kg	Rat	Manufacturer	OECD 401
	dermal	LD50 > 3160 mg/kg	Rabbit	Manufacturer	OECD 402
	inhalation (4 h) vapour	LC50 > 6100 mg/l	Rat	Manufacturer	OECD 403
	Hydrocarbons, C9, aromates				
	oral	LD50 3592 mg/kg	Rat	Manufacturer	
	dermal	LD50 3160 mg/kg	Rabbit	Manufacturer	

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclenes, < 2 % aromatics)

STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking.

Aspiration hazard

May be fatal if swallowed and enters airways.

11.2. Information on other hazards**Endocrine disrupting properties**

No information available.

SECTION 12: Ecological information**12.1. Toxicity**

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
	Hydrocarbons, C9, aromates					
	Acute fish toxicity	LC50 9,2 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	
	Acute algae toxicity	ErC50 2,75 mg/l	72 h	Pseudokirchneriella subcapitata	Manufacturer	
	Acute crustacea toxicity	EC50 3,2 mg/l	48 h	Daphnia magna (Big water flea)	Manufacturer	

Safety Data Sheet

according to UK REACH Regulation

JMC Under body protection black 1 ltr

Revision date: 31.08.2022

Page 7 of 10

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Harmful to fish.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Collect the waste separately. Do not empty into drains.

List of Wastes Code - residues/unused products

130208 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; other engine, gear and lubricating oils; hazardous waste

List of Wastes Code - used product

130208 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; other engine, gear and lubricating oils; hazardous waste

List of Wastes Code - contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself. Dispose of waste according to applicable legislation.

Suitable material:: Water (with cleaning agent)

SECTION 14: Transport information**Land transport (ADR/RID)**

<u>14.1. UN number:</u>	UN 1139
<u>14.2. UN proper shipping name:</u>	COATING SOLUTION
<u>14.3. Transport hazard class(es):</u>	3
<u>14.4. Packing group:</u>	III
Hazard label:	3



Classification code:	F1
Limited quantity:	5 L

Safety Data Sheet

according to UK REACH Regulation

JMC Under body protection black 1 ltr

Revision date: 31.08.2022

Page 8 of 10

Excepted quantity: E1
 Transport category: 3
 Hazard No: 30
 Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number: UN 1139
14.2. UN proper shipping name: Coating solution
14.3. Transport hazard class(es): 3
14.4. Packing group: III
 Hazard label: 3



Classification code: F1
 Limited quantity: 5 L
 Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number: UN 1139
14.2. UN proper shipping name: COATING SOLUTION
14.3. Transport hazard class(es): 3
14.4. Packing group: III
 Hazard label: 3



Special Provisions: 955
 Limited quantity: 5 L
 Excepted quantity: E1
 EmS: F-E, S-E

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 1139
14.2. UN proper shipping name: COATING SOLUTION
14.3. Transport hazard class(es): 3
14.4. Packing group: III
 Hazard label: 3



Special Provisions: A3
 Limited quantity Passenger: 10 L
 Passenger LQ: Y344
 Excepted quantity: E1
 IATA-packing instructions - Passenger: 355
 IATA-max. quantity - Passenger: 60 L
 IATA-packing instructions - Cargo: 366
 IATA-max. quantity - Cargo: 220 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Flammable liquids

Safety Data Sheet

according to UK REACH Regulation

JMC Under body protection black 1 ltr

Revision date: 31.08.2022

Page 9 of 10

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 28, Entry 40

Information according to 2012/18/EU (SEVESO III): P5c FLAMMABLE LIQUIDS

Additional information

SVHC substance. none

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Abbreviations and acronyms**

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

VOC: Volatile Organic Compounds

SVHC: Substance of Very High Concern

Safety Data Sheet

according to UK REACH Regulation

JMC Under body protection black 1 ltr

Revision date: 31.08.2022

Page 10 of 10

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Asp. Tox. 1; H304	Calculation method
STOT SE 3; H336	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	SU21 Consumer uses: Private households (= general public = consumers)	-	21	-	-	-	-	-	
2	SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)	-	22	-	-	-	-	-	
3	ERC8d	-	-	-	-	8d	-	-	
4	PROC10 Roller application or brushing	-	-	-	10	-	-	-	
5	PC9a Beschichtungen und Farben, Verdünner, Farbeentferner	-	-	9a	-	-	-	-	
6	ERC8a	-	-	-	-	8a	-	-	

LCS: Life cycle stages

PC: Product categories

ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use

PROC: Process categories

AC: Article categories

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)