

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### JMC Sägekettenöl 1I

Print date: 01.07.2020

Product code: 5580101

Page 1 of 7

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

JMC Sägekettenöl 1I

#### Further trade names

JMC Sägekettenöl 5I (JM-Nr. 558 01 02)

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Transmission fluid

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Company name: Johannes J. Matthies GmbH & Co. KG  
Street: Hammerbrookstr. 97  
Place: D-20097 Hamburg  
Telephone: + 49 (0) 40 2 37 21-0  
e-mail: info@matthies.de  
Internet: www.matthies.de

#### Supplier

Company name: Larsson UK Ltd.  
Street: 7 Alpha Court, Phoenix Parkway  
Place: GB-NN17 5DP Corby  
Telephone: + 44 1536 265633  
e-mail: info@larsson.uk.com  
Internet: www.larsson.uk.com

### 1.4. Emergency telephone number:

+ 44 1536 265633

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

### 2.2. Label elements

#### Additional advice on labelling

none

### 2.3. Other hazards

No information available.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Hazardous ingredients: none

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Self-protection of the first aider

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## JMC Sägekettensöl 11

Print date: 01.07.2020

Product code: 5580101

Page 2 of 7

Immediately remove any contaminated clothing, shoes or stockings. Do not put any product-impregnated cleaning rags into your trouser pockets.

### **After inhalation**

Provide fresh air. In case of inhalation of aerosols/spray/spray droplets: Consult a physician. Avoid breathing dust/fume/gas/mist/vapours/spray. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

### **After contact with skin**

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention.

### **After contact with eyes**

Rinse immediately carefully and thoroughly with eye-bath or water.

### **After ingestion**

Rinse mouth immediately and drink plenty of water. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

### **4.2. Most important symptoms and effects, both acute and delayed**

No information available.

### **4.3. Indication of any immediate medical attention and special treatment needed**

Observe risk of aspiration if vomiting occurs.

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

#### **Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.  
Carbon dioxide (CO<sub>2</sub>). Dry extinguishing powder. Foam.

#### **Unsuitable extinguishing media**

Strong water jet

### **5.2. Special hazards arising from the substance or mixture**

Non-flammable. Particular hazard due to substance itself, its combustion products or resulting gases: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide. Sulphur oxides. Phosphorus oxides. Hydrogen sulphide (H<sub>2</sub>S).

### **5.3. Advice for firefighters**

carbon black In case of fire: Wear self-contained breathing apparatus.  
In case of fire and/or explosion do not breathe fumes.

### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.  
Dispose of waste according to applicable legislation. Use water spray jet to protect personnel and to cool endangered containers.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Special danger of slipping by leaking/spilling product. Wear suitable protective clothing. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

### **6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### **6.4. Reference to other sections**

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## JMC Sägekettenöl 1l

Print date: 01.07.2020

Product code: 5580101

Page 3 of 7

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### **Advice on safe handling**

Apply skin protection cream for preventive skin protection. Wash hands before breaks and after work.  
Conditions to avoid: aerosol or mist formation

##### **Advice on protection against fire and explosion**

No special fire protection measures are necessary.  
When using do not smoke.  
Fire class: B (DIN-/EN-Norms: EN2)

#### 7.2. Conditions for safe storage, including any incompatibilities

##### **Requirements for storage rooms and vessels**

Keep container tightly closed. Keep away from heat. Keep/Store only in original container.

##### **Hints on joint storage**

Do not store together with: Food and feedingstuffs, Oxidizing agent

##### **Further information on storage conditions**

If product enters soil, it will be mobile and may contaminate groundwater.

#### 7.3. Specific end use(s)

Transmission fluid

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.2. Exposure controls



##### **Protective and hygiene measures**

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.  
Apply skin protection cream for preventive skin protection. Keep away from food, drink and animal feedingstuffs. Do not breathe vapour.

##### **Eye/face protection**

In fine dispersion/spraying/misting: Wear eye/face protection.

##### **Hand protection**

Wear suitable gloves.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### **Skin protection**

In fine dispersion/spraying/misting: Wear protective gloves and protective clothing.

##### **Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	yellowbrown

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## JMC Sägekettenöl 11

Print date: 01.07.2020

Product code: 5580101

Page 4 of 7

Odour:	characteristic	
		<b>Test method</b>
pH-Value:	not determined	DIN 51369
<b>Changes in the physical state</b>		
Melting point:	not determined	
Initial boiling point and boiling range:	not determined	
Pour point:		DIN ISO 3016
Flash point:	> 200 °C	DIN ISO 2592
<b>Flammability</b>		
Solid:	not applicable	
Gas:	not applicable	
<b>Explosive properties</b>		
The product is not explosive.		
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Ignition temperature:	not determined	
<b>Auto-ignition temperature</b>		
Solid:	not applicable	
Gas:	not applicable	
Decomposition temperature:	not determined	
<b>Oxidizing properties</b>		
Not oxidising.		
Vapour pressure: (at 20 °C)	> 0,1 hPa	calculated.
Density (at 15 °C):	~0,89 g/cm <sup>3</sup>	DIN 51757
Water solubility: (at 20 °C)	practically insoluble	
<b>Solubility in other solvents</b>		
Soluble in hydrocarbons. (Mineral oil)		
Partition coefficient:	not determined	
Viscosity / dynamic:	not determined	
Viscosity / kinematic: (at 40 °C)	~100 mm <sup>2</sup> /s	DIN 51562
Vapour density:	not determined	
Evaporation rate:	not determined	
Solvent separation test:	No data available	
Solvent content:	none	

**9.2. Other information**

Solid content: 0

Odour threshold: not determined

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Reacts with: Oxidising agent, strong

**10.2. Chemical stability**

No thermal decomposition if stored/handled/transported properly.

**10.3. Possibility of hazardous reactions**

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## JMC Sägekettenöl 1l

Print date: 01.07.2020

Product code: 5580101

Page 5 of 7

Reactions possible with oxidising agents.

### **10.4. Conditions to avoid**

Oxidising agent, strong.

### **10.5. Incompatible materials**

Oxidising agent, strong.

### **10.6. Hazardous decomposition products**

No known hazardous decomposition products.

### **Further information**

No thermal decomposition if stored/handled/transported properly.

## **SECTION 11: Toxicological information**

### **11.1. Information on toxicological effects**

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

Irritation of the respiratory tract: Do not breathe gas/vapour.

#### **Irritation and corrosivity**

Based on available data, the classification criteria are not met.

#### **Sensitising effects**

Based on available data, the classification criteria are not met.

It can be assumed that the finished product is not skin sensitising, due to the very low content of sensitising substances.

#### **Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

#### **STOT-single exposure**

Based on available data, the classification criteria are not met.

#### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

Frequently or prolonged contact with skin may cause dermal irritation.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### **Practical experience**

#### **Observations relevant to classification**

Has degreasing effect on the skin.

#### **Other observations**

No special hazards caused by the product are known if it is used as intended and instructions given on precautionary measures are observed.

## **SECTION 12: Ecological information**

### **12.1. Toxicity**

The product is not: Ecotoxic.

### **12.2. Persistence and degradability**

Due to its low solubility in water the product is almost completely mechanically separated in biological sewage plants. Poorly eliminated from water. Not readily biodegradable (according to OECD criteria). Product is partially biodegradable. Significant residues remain.

Waste oils should not be discharged into the sewage system or bodies of water, nor should they be allowed to seep into soil.

### **12.3. Bioaccumulative potential**

The product has not been tested. Do not allow uncontrolled discharge of product into the environment.

### **12.4. Mobility in soil**

The product has not been tested.

### **12.5. Results of PBT and vPvB assessment**

The product has not been tested.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## JMC Sägekettenöl 1l

Print date: 01.07.2020

Product code: 5580101

Page 6 of 7

### 12.6. Other adverse effects

No information available.

### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. The specified waste codes are recommended due to the intended use of the product. Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

#### **List of Wastes Code - residues/unused products**

130110 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste hydraulic oils; mineral based non-chlorinated hydraulic oils; hazardous waste

#### **List of Wastes Code - used product**

130110 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste hydraulic oils; mineral based non-chlorinated hydraulic oils; hazardous waste

#### **Contaminated packaging**

Dispose of this material and its container to hazardous or special waste collection point. Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

## SECTION 14: Transport information

### **Land transport (ADR/RID)**

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

### **Inland waterways transport (ADN)**

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

### **Marine transport (IMDG)**

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

### **Air transport (ICAO-TI/IATA-DGR)**

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

### 14.6. Special precautions for user

No information available.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## JMC Sägekettensöl 1I

Print date: 01.07.2020

Product code: 5580101

Page 7 of 7

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

#### National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*