


O.E. TIRES/EUROPE & ASIA

	Pattern	Size	Load/Speed Index	TT./TBL	Applicable Rims Recommended Rim	Overall Diameter	Overall Width	
MOPED	VRM-099	2 1/2-16	42 J	TT	1.60 X 16	544	70	
	VRM-201	2 1/2-16	42 P	TBL	1.60 X 16	548	70	
	VRM-099	2 3/4-16	43 J	TT	1.85 X 16	555	77	
	VRM-201	2 3/4-16	46 P	TBL	1.85 X 16	558	77	
SCOOTER	VRM-054	3.00-10	42 J	TT	2.15 X 10	429	86	
	VRM-134	3.00-10	42 J	TT	2.15 X 10	405.5	83	
	VRM-100	100/80-10	56 J	TBL	2.50 X 10	420	102.4	
	VRM-134	100/80-10	56 J	TBL	2.50 X 10	419	95	
	VRM-144	100/80-10	53 L	TBL	2.50 X 10	426	96	
	VRM-217	100/80-10	53 L	TBL	2.50 X 10	423	100	
	VRM-098	100/90-10	56 J	TBL	2.50 X 10	428.5	96	
	VRM-144	120/70-10	54 L	TBL	3.50 X 10	421	120.5	
	VRM-217	120/70-10	54 L	TBL	3.50 X 10	422	112	
	VRM-134	130/70-10	62 J	TBL	3.50 X 10	433.7	123	
	VRM-112	130/90-10	61 J	TBL	3.00 X 10	493.5	137	
	VRM-134	120/70-11	50 L	TBL	3.50 X 11	448.6	114.2	
	VRM-134	130/70-11	60 L	TBL	3.50 X 11	459	125	
	VRM-112	110/90-12	64 M	TBL	2.50 X 12	502	107	
	VRM-134	120/70-12	51 L	TBL	3.50 X 12	469	120	
	VRM-119C	120/70-12	60 P	TBL	3.50 X 12	475	120	
	VRM-155	120/70-12	51 L	TBL	3.50 X 12	475	122	
	VRM-119C	130/70-12	60 P	TBL	3.50 X 12	491	128	
	VRM-155	130/70-12	56 L	TBL	3.50 X 12	486	123.2	
	VRM-134	140/60-12	56 M	TBL	3.50 X 12	476	141	
	VRM-184	120/70-13	53 L	TBL	3.50 X 13	493	126	
	VRM-119C	120/70-13	53 P	TBL	3.50 X 13	492	125	
	VRM-119C	130/60-13	60 L	TBL	3.50 X 13	488	126.5	
	VRM-119C	130/60-13	60 P	TBL	3.50 X 13	488	133	
	VRM-119B	130/60-13	53 J	TBL	3.50 X 13	490	124	
	VRM-184	140/60-13	57 L	TBL	3.50 X 13	510	135	
	VRM-281	120/70-14	61 H	TBL	3.50 X 14	518	115	
	VRM-281	140/60-14	64 H	TBL	3.50 X 14	533	132	
VRM-144	110/80-14	59 J	TBL	2.50 X 14	531.5	104		
VRM-144	80/80-14	46 J	TBL	1.85 X 16	543	176.1		
VRM-144	90/80-14	52 J	TBL	2.15 X 16	555	185		
STREET	VRM-279F	2.25-17	33 L	TT	1.40 X 17	558	61	
	VRM-279R	2.50-17	38 L	TT	1.60 X 17	568	67	
	VRM-100	2.75-14	43 J	TT	1.85 X 14	513	77	
	VRM-100	3.00-14	56 J	TT	1.85 X 14	521	89.2	
	VRM-100	3.25-16	56 J	TT	2.15 X 16	591	97	
	VRM-282	70/90-14	34 P	TT	1.60 X 14	478	63.8	
	VRM-282	80/90-14	40 P	TT	1.85 X 14	493.5	73.5	
	VRM-087	80/80-14	43 J	TT	1.85 X 14	495	74	
	VRM-087	90/80-14	59 L	TBL	2.15 X 14	499	88.5	
	VRM-234F	60/100-17	33 P	TT	1.40 X 17	558.5	66.5	
	VRM-295F	60/100-17	33 P	TT	1.40 X 17	557	62	
	VRM-304	60/100-17	33 P	TT	1.40 X 17	551	60	
	VRM-234R	70/90-17	38 P	TT	1.60 X 17	557.8	66.1	
	VRM-234R	70/90-17	43 P	TT	1.60 X 17	565	67.5	
	VRM-295R	70/90-17	43 P	TT	1.60 X 17	562	63	
	VRM-244	80/90-17	44 P	TT	1.85 X 17	575.5	75.3	
	VRM-304	80/90-17	44 P	TT	1.85 X 17	575	76.5	
	VRM-097F	2.75/80-16	43 J	TT	1.60 X 16	547	77	
	VRM-097R	3.25/80-16	56 L	TT	1.85 X 16	562	88	
	VRM-224	100/80-16	50 T	TBL	2.50 X 16	571	102	
	VRM-134	100/80-17	52 S	TT	2.50 X 17	604.8	96	
	VRM-294	100/80-17	52 S	TT/TBL	2.50 X 17	598	96	
	VRM-224	110/70-16	52 P	TBL	3.00 X 16	560	109	
	VRM-224	130/70-16	61 P	TBL	3.50 X 16	583	125	
	VRM-134	130/70-17	62 S	TT	3.50 X 17	610	121	
	VRM-294	130/70-17	62 S	TT/TBL	3.50 X 17	621	132	
	TRAIL	VRM-122	80/90-21	48 P	TT	1.85 X 21	690	78
		VRM-122	90/90-21	54 P	TT	2.15 X 21	714	93
VRM-193		100/90-18	56 P	TT	2.50 X 18	642	103	
VRM-122		110/80-18	62 P	TT	2.50 X 18	647	103	
VRM-193		130/80-17	65 P	TT	3.00 X 17	642	128	
VRM-219		2.50-16	36 L	TT	1.60 X 16	545.3	67.2	
VRM-219		2.75-14	35 L	TT	1.85 X 14	510	72.5	
VRM-221		3.00-21	51 P	TT	1.85 X 21	701	84	
VRM-221	4.10-18	60 P	TT	2.50 X 18	648	114		
JUNIOR MOTORCROSS	VRM-270	2.50-10	37 J	TT	1.60 X 10	385	69	
	VRM-271	2.75-10	37 J	TT	1.60 X 10	396	77	
	VRM-174	2.50-15		TT	1.60 X 15	532	72	
	VRM-174	3.00-12		TT	1.85 X 12	477	90.5	
	VRM-273	80/100-12	41 M	TT	1.85 X 12	455.5	81.5	
	VRM-272	60/100-14	29 M	TT	1.40 X 14	483	72	
MOTORCROSS	VRM-140	2.50-10	33 J	TT	1.60 X 10	394	72	
	VRM-140	90/100-16	51 M	TT	2.15 X 16	602	101	
	VRM-140	70/100-19	62 M	TT	1.60 X 19	600	74	
	VRM-211	90/90-21 E.L.M. M	54 R	TT	2.15 X 21	699	84	
	VRM-211	120/90-18 E.L.M. I	65 R	TT	2.75 X 18	671	112	
	VRM-308	2.75-21	45 L	TT	1.85 X 21	695	77	
VRM-308	4.00 R18	64 L	TBL	MT 2.15 X 18	702	104		



Vee Rubber

924 Rama 9 Road, Bangkapi, Huay-kwang, Bangkok 10310, Thailand.
Tel . (662) 719-6644-5 Fax : (662) 719-6661-2

www.veerubber.co.th

E-mail : info@veerubber.co.th
: vithorn@veerubber.co.th
: vichit@veerubber.co.th

Vee Rubber
PERFORMANCE TIRES



VRM-054

Size	Load/Speed Index	F/R	TT/TBL
100/90-10	56 P	F,R	TT,TBL



VRM-090

Size	Load/Speed Index	F/R	TT/TBL
100/90-10	56 L	R	TT,TBL



VRM-112

Size	Load/Speed Index	F/R	TT/TBL
110/90-12	64 M	F,R	TBL



VRM-119B

Size	Load/Speed Index	F/R	TT/TBL
110/90-10	66 L	F,R	TBL
110/90-12	64 P	F,R	TBL
110/90-13	56 P	F,R	TBL
110/100-12	67 L	F,R	TBL
120/80-14	58 S	F,R	TBL
120/90-10	66 L	F,R	TBL
130/90-10	61 L	F,R	TT,TBL



VRM-119C

Size	Load/Speed Index	F/R	TT/TBL
120/70-12	60 P	F	TBL
120/70-13	53 P	-	TBL
120/90-10	66 L	-	TBL
130/60-13	60 P	-	TBL
130/70-12	60 P,62 P	R	TBL
130/70-13	63 P	R	TBL
130/90-10	70 L	-	TBL
140/60-12	62 L	R	TBL
140/70-12	65 P	R	TBL
150/70-12	64 S	-	TBL



VRM-133

Size	Load/Speed Index	F/R	TT/TBL
120/70-11	50 M	F,R	TBL
120/80-12	65 M	F,R	TBL
120/90-10	66 L	-	TBL
130/90-10	70 L	-	TBL



VRM-134

Size	Load/Speed Index	F/R	TT/TBL
100/80-10	52 S	-	TT,TBL
100/90-10	56 L	R	TT,TBL
110/90-12	64 L	-	TBL
110/90-12	64 S	-	TBL
120/70-11	50 L	F	TBL
120/70-12	51 L	F	TBL
130/70-11	60 L	R	TBL
130/70-12	56 L	R	TBL
130/70-12	62 L	R	TBL
140/60-12	56 M	R	TBL



VRM-137

Size	Load/Speed Index	F/R	TT/TBL
120/90-10	66 M	F	TBL
130/90-10	66 M	R	TBL



VRM-144

Size	Load/Speed Index	F/R	TT/TBL
100/80-10	53 L	F	TBL
100/80-10	56 L	F	TBL
120/70-10	54 L	R	TBL



VRM-155

Size	Load/Speed Index	F/R	TT/TBL
110/70-12	47 L,62 P	F,R	TBL
110/90-12	64 L	F,R	TBL
110/90-13	56 L	F,R	TBL
120/70-12	51 L,51 S	F,R	TBL
120/70-12	58 P	F,R	TBL
130/70-12	56 L	F,R	TBL
130/70-12	56 S	F,R	TBL
130/70-13	57 L	F,R	TBL
140/70-12	60 L	F,R	TBL



VRM-162

Size	Load/Speed Index	F/R	TT/TBL
115/80-13	52 M	F,R	TBL
140/70-13	62 M	F,R	TBL



VRM-184

Size	Load/Speed Index	F/R	TT/TBL
110/90-13	60 L	F,R	TBL
110/90-13	60 S	F,R	TBL
120/70-12	51 L	F,R	TBL
120/70-13	53 L	F,R	TBL
130/60-13	61 L	F,R	TBL
130/70-12	61 L	F,R	TBL
130/70-13	60 L	F,R	TBL
130/70-13	60 S	F,R	TBL
140/60-13	57 L	F,R	TBL



VRM-217

Size	Load/Speed Index	F/R	TT/TBL
100/80-10	53 L	-	TBL
110/70-11	45 L	-	TBL
120/70-10	54 L	-	TBL



VRM-228

Size	Load/Speed Index	F/R	TT/TBL
3.50-10	51 P	-	TT



VRM-281

Size	Load/Speed Index	F/R	TT/TBL
120/70-12	58 S	F,R	TBL
120/70-14	61 H	F,R	TBL
120/70-15	56 H	F,R	TBL
130/60-13	60 H	F,R	TBL
130/70-12	62 S	F,R	TBL
140/70-12	64 S	F,R	TBL
140/60-14	64 H	F,R	TBL
140/70-14	68 H	F,R	TBL



VRM-318

Size	Load/Speed Index	F/R	TT/TBL
120/90-10	57 L	F,R	TBL
150/80-10	65 L	F,R	TBL

MAXI SCOOTER



VRM-319F

Size	Load/Speed Index	F/R	TT/TBL
120/70-12 58 P		F	TBL
120/70-14 55 P		F	TBL



VRM-319R

Size	Load/Speed Index	F/R	TT/TBL
130/70-12 62 P		R	TBL
140/60-14 64 S		R	TBL

SCOOTER TIRES

www.veerubber.co.th



VRM-018

Size	Load/Speed Index	F/R	TT/TBL
2.50-10	39 J	F	TT



VRM-051

Size	Load/Speed Index	F/R	TT/TBL
3.50-8	46 J	R	TT



VRM-052

Size	Load/Speed Index	F/R	TT/TBL
2.75-10	37 J	F	TT



VRM-054

Size	Load/Speed Index	F/R	TT/TBL
3.00-10	42 J	F,R TT,/TBL	
3.50-10	59 J	F,R TT,/TBL	
120/90-10	56 J	F,R	TT



VRM-081

Size	Load/Speed Index	F/R	TT
3.00-10	42 J	F,R	TT



VRM-094

Size	Load/Speed Index	F/R	TT
3.00-12	43 J	F,R	TT



VRM-098

Size	Load/Speed Index	F/R	TT/TBL
100/90-10	56 J	R	TT,/TBL



VRM-099

Size	Load/Speed Index	F/R	TT/TBL
3.00-10	42 J	F,R TT,/TBL	
3.50-10	56 J	R	TT,/TBL



VRM-100

Size	Load/Speed Index	F/R	TT/TBL
90/90-10	50 J	R	TT,/TBL
100/80-10	56 J	R	TT,/TBL
120/70-12	58 J	F	TT,/TBL
130/70-12	62 J	R	TT,/TBL

SCOOTER TIRES

SCOOTER TIRES

www.veerubber.co.th



VRM-108

Size	Load/Speed Index	F/R	TT/TBL
3.50-8	45 J	R	TT
4.00-8	55 J	R	TT



VRM-112

Size	Load/Speed Index	F/R	TT/TBL
120/90-10	56 J	F,R	TT/TBL
130/90-10	61 J	R	TT/TBL



VRM-113

Size	Load/Speed Index	F/R	TT/TBL
3.00-8	37 J	F	TT



VRM-116

Size	Load/Speed Index	F/R	TT/TBL
90/90-10	50 J	F,R	TT/TBL
100/80-10	56 J	F,R	TT/TBL



VRM-119B

Size	Load/Speed Index	F/R	TT/TBL
2.75-10	40 J	F	TT
100/80-10	56 J	F,R	TT/TBL
120/80-14	58 S	F,R	TBL
120/90-10	56 J	F,R	TT/TBL
130/60-13	53 J	F,R	TBL
130/60-13	55 J	F,R	TBL
130/90-10	61 J	F,R	TBL



VRM-133

Size	Load/Speed Index	F/R	TT/TBL
90/90-10	50 J	F,R	TBL
100/90-10	56 J	F,R	TBL
110/80-10	58 J	F,R	TBL
110/90-10	61 J	F,R	TBL
120/90-10	56 J	F,R	TBL
130/60-13	55 J	F,R	TBL
130/70-12	61 J	F,R	TBL
130/80-12	69 J	F,R	TBL
130/90-10	61 J	F,R	TBL



VRM-134

Size	Load/Speed Index	F/R	TT/TBL
3.00-10	42 J	F,R	TT/TBL
3.50-10	56 J	R	TT/TBL
90/90-10	50 J	F,R	TT/TBL
100/80-10	52 J	F,R	TBL
100/80-10	56 J	F,R	TT/TBL
110/80-10	58 J	F,R	TBL
130/70-10	62 J	F,R	TBL



VRM-138

Size	Load/Speed Index	F/R	TT/TBL
4.00-10	74 J	F,R	TT
4.00-12	77 J	F,R	TT
4.50-10	76 J	F,R	TT



VRM-139

Size	Load/Speed Index	F/R	TT/TBL
100/90-10	61 J	F,R	TT
120/70-12	51 L	F,R	TBL
140/70-12	65 L	R	TBL



VRM-140

Size	Load/Speed Index	F/R	TT/TBL
110/90-12	-	F,R	TBL
120/90-10	-	F,R	TBL



VRM-144

Size	Load/Speed Index	F/R	TT/TBL
3.50-10	51 J	F,R	TT/TBL
70/90-16	42 J	F	TT/TBL
80/80-16	46 J	R	TBL
80/80-16	46 J	R	TBL (POSTAL)
90/80-16	52 J	R	TT/TBL
110/80-14	59 J	R	TBL
110/80-14	59 J	R	TBL (POSTAL)



VRM-146

Size	Load/Speed Index	F/R	TT/TBL
3.00-10	42 J	F,R	TBL
3.50-10	51 J	F,R	TBL
3.50-10	56 J	F,R	TBL
80/90-10	44 J	F,R	TBL
80/100-10	38 J	F,R	TBL
90/90-10	50 J	F,R	TBL
90/100-10	53 J	F,R	TBL
100/90-10	56 J	F,R	TBL
100/80-10	53 J	F,R	TBL



VRM-162

Size	Load/Speed Index	F/R	TT/TBL
130/70-13	57 J	F,R	TBL



VRM-164

Size	Load/Speed Index	F/R	TT/TBL
3.50-8	45 J	F,R	TT



VRM-219

Size	Load/Speed Index	F/R	TT/TBL
3.50-10	51 J	-	TT



VRM-220

Size	Load/Speed Index	F/R	TT/TBL
3.00-12	47 J	-	TT



VRM-279F

Size	Load/Speed Index	F/R	TT/TBL
90/90-12	44 J	F	TBL
110/90-10	51 J	R	TBL



VRM-342

Size	Load/Speed Index	F/R	TT/TBL
120/70-13	53 P	F	TBL
120/70-14	55 P	F	TBL
140/60-13	57 P	R	TBL
140/60-14	64 P	R	TBL

5 MOTORCYCLE TIRES

Vee Rubber
PERFORMANCE TIRES

SCOOTER TIRES

SCOOTER TIRES



VRM-348

Size	Load/Speed Index	F/R	TT/TBL
100/90-10 56 L		F,R	TT/TBL



VRM-351

Size	Load/Speed Index	F/R	TT/TBL
3.50-10 59 L		-	TBL
110/70-12 62 P		-	TBL
120/70-12 58 S		-	TBL
130/60-13 60 S		-	TBL
130/70-12 62 S		-	TBL
140/60-13 63 S		-	TBL

STREET TIRES

www.veerubber.co.th



VRM-011

Size	Load/Speed Index	F/R	TT/TBL
2.25-17 39 L		F	TT
2.50-17 43 L		F	TT
2.50-18 45 P		F	TT
2.75-14 35 P		F	TT
2.75-18 48 P		F	TT
3.00-16 47 P		F	TT
3.00-17 48 P		F	TT
3.25-19 54 P		F	TT



VRM-013

Size	Load/Speed Index	F/R	TT/TBL
2.25-17 39 J		R	TT
2.25-19 43 J		R	TT



VRM-014

Size	Load/Speed Index	F/R	TT/TBL
2.50-9 25 D		-	TT
2.50-17 43 J		R	TT

(POSTAL)



VRM-015

Size	Load/Speed Index	F/R	TT/TBL
2.50-17 43 L		R	TT
2.50-18 45 P		R	TT
2.75-14 42 J		R	TT
2.75-16 43 P		R	TT
2.75-17 46 P		R	TT
2.75-18 48 P		R	TT
3.00-16 47 P		R	TT
3.00-17 48 P		R	TT
3.00-18 52 J		R	TT
3.50-18 62 P		R	TT



VRM-018

Size	Load/Speed Index	F/R	TT/TBL
2.25-17 39 J		F	TT
2.75-17 47 P		F	TT
2.75-18 48 J		F	TT



VRM-019

Size	Load/Speed Index	F/R	TT/TBL
2.25-17 39 J		R	TT
2.50-17 43 L		R	TT
2.75-18 48 P		R	TT
3.00-18 52 P		R	TT



VRM-020

Size	Load/Speed Index	F/R	TT/TBL
2.25-14 24 B		F	TT



VRM-022M

Size	Load/Speed Index	F/R	TT/TBL
2 1/2-21 38 J		F	TT
3-18 52 J		R	TT



VRM-054

Size	Load/Speed Index	F/R	TT/TBL
2.00-17 33 J		F,R	TT
2.25-17 39 J		F,R	TT
2.50-17 43 J		F,R	TT
2.50-18 45 L		F,R	TT
2.75-18 48 P		F,R	TT
3.50-18 54 P		F,R	TT



VRM-081

Size	Load/Speed Index	F/R	TT/TBL
2.25-17	39 P	F,R	TT
2.50-17	43 P	F,R	TT
2.50-18	45 P	F,R	TT
3.60-18	51 P	R	TT
3.60-19	52 P	R	TT
4.10-18	60 P	R	TT
70/90-17	43 P	F,R	TT
80/90-17	44 P	F,R	TT
80/90-18	45 P	F,R	TT
90/90-18	51 P	F,R	TT



VRM-085

«F:R»

Size	Load/Speed Index	F/R	TT/TBL
2.25-17	33 L	F	TT
70/100-17	40 L	R	TT



VRM-086

Size	Load/Speed Index	F/R	TT/TBL
2.25-17	39 J	F	TT
2.50-17	43 J	F,R	TT
2.50-18	45 L	F,R	TT
70/100-16	39 J	F,R	TT
80/100-16	46 P	F,R	TT
90/90-18	52 P	R	TT/TBL



VRM-087

Size	Load/Speed Index	F/R	TT/TBL
2 1/4-16	38 J	R	TT
2 1/4-17	39 J	F,R	TT
2 1/4-18	43 J	R	TT
2 1/2-14	39 J	F,R	TT
2 1/2-16	42 J	F,R	TT
2 1/2-17	43 J	R	TT
2 1/2-18	44 J	R	TT
2 3/4-17	46 J	R	TT
2.00-16	36 J	F	TT
2.00-17	38 J	F	TT
80/80-14	43 J	F,R	TT/TBL
90/80-14	59 L	F,R	TBL



VRM-088

Size	Load/Speed Index	F/R	TT/TBL
2.75-17	42 P	F,R	TT



VRM-089

Size	Load/Speed Index	F/R	TT/TBL
70/90-17	43 J	F,R	TT
70/90-18	45 J	F,R	TT
80/90-16	43 P	F,R	TT/TBL
80/90-18	48 J	F,R	TT
90/90-16	46 P	F,R	TT
90/90-18	57 P	F,R	TT



VRM-093

Size	Load/Speed Index	F/R	TT/TBL
2.00-17	33 J	F	TT
2.25-17	39 J	F	TT
70/90-17	39 J	F,R	TT



VRM-093M

Size	Load/Speed Index	F/R	TT/TBL
2 1/4-16	38 J	F,R	TT



VRM-094

Size	Load/Speed Index	F/R	TT/TBL
2 3/4-16	43 J	R	TT
2.25-17	39 L	F	TT
2.50-17	43 L	R	TT
3.25-16	56 P	R	TT



VRM-096

Size	Load/Speed Index	F/R	TT/TBL
2.50-17	43 J	R	TT



VRM-097

«F:R»

Size	Load/Speed Index	F/R	TT/TBL
2 1/2-16	42 J	F	TT
2.25-17	39 J	F	TT
2.50-17	43 J	R	TT
2.75-17	47 P	R	TT
2.75/80-16	43 J	F	TT/TBL
3.25/80-16	56 J	R	TT/TBL
80/80-17	47 P	F,R	TT
80/90-17	47 P	F,R	TT



VRM-099

«F:R»

Size	Load/Speed Index	F/R	TT/TBL
2 1/4-16	38 J	R	TT
2 1/4-17	39 J	R	TT/TBL
2 1/2-16	42 J	R	TT/TBL
2 1/2-17	39 J	R	TT
2 3/4-16	43 J	R	TT
2 3/4-17	39 J	R	TT/TBL
2.00-17	33 J	F	TT
2.25-17	38 L	F	TT
2.50-17	39 J	R	TT
2.75-16	48 P	R	TT
3.25-16	56 P	F	TT



VRM-100

«F:R»

Size	Load/Speed Index	F/R	TT/TBL
2.75-14	43 J	F	TT
2.75-16	46 L	R	TT
3.00-14	56 J	R	TT
3.25-16	56 J	R	TT



VRM-101

Size	Load/Speed Index	F/R	TT/TBL
2.25-17	39L	F	TT
2.50-17	43L	F	TT



VRM-103

«F.R»

Size	Load/Speed Index	F/R	TT/TBL
2.25-17	39L	F	TT
2.50-17	42P	R	TT
2.75-18	48P	F,R	TT
3.00-18	52P	R	TT
130/90-15	66S	R	TT



VRM-106

Size	Load/Speed Index	F/R	TT/TBL
80/90-17	43P	F,R	TT
80/90-18	45P	F,R	TT
100/90-18	56P	R	TT/TBL



VRM-114

Size	Load/Speed Index	F/R	TT/TBL
2.25-17	39J	F	TT



VRM-115

Size	Load/Speed Index	F/R	TT/TBL
2.25-17	39J	F,R	TT
2.50-17	43L	F,R	TT
2.50-18	45P	F,R	TT
2.75-18	48P	F,R	TT



VRM-125
PRO-200 V-GRIP

Size	Load/Speed Index	F/R	TT/TBL
2.00-17	33P	F	TT
2.25-17	39P	F,R	TT
2.50-17	43P	F,R	TT
2.50-18	45P	F,R	TT
2.75-17	47P	R	TT
2.75-18	48P	R	TT



VRM-126
PRO-200 EAGLE

Size	Load/Speed Index	F/R	TT/TBL
2.00-17	27L	F	TT
2.25-17	39P	F,R	TT
2.50-17	43P	F,R	TT
2.50-18	45L	F,R	TT
2.75-17	41P	R	TT
2.75-18	48P	R	TT
80/90-17	44P		TT



VRM-129

Size	Load/Speed Index	F/R	TT/TBL
2 1/4-17	39J	F,R	TT
2 1/4-18	43J	F,R	TT
2 1/2-17	43J	F,R	TT



VRM-132

Size	Load/Speed Index	F/R	TT/TBL
2.25-17	39P	F,R	TT
2.50-16	41L	F,R	TT
2.50-17	43P	F,R	TT
2.50-18	45P	F,R	TT



VRM-134

Size	Load/Speed Index	F/R	TT/TBL
100/80-17	52S	F	TT/TBL
100/90-18	52S	F	TBL
130/70-17	62S	R	TT
130/70-17	62T	R	TT/TBL
130/70-17	62H	-	TBL
130/80-17	62T	R	TBL



VRM-158

Size	Load/Speed Index	F/R	TT/TBL
2.75-18	47P	F,R	TT
3.00-17	47P	F	TT
90/90-19	52S		TT



VRM-159

Size	Load/Speed Index	F/R	TT/TBL
2.25-17	38P	-	TT
2.50-16	41P	-	TT
2.50-17	43P	-	TT
2.50-18	45P	-	TT
2.75-16	46P	-	TT
2.75-17	47P	-	TT
3.50-16	66P	R	TT
4.10-18	60R	F,R	TT
60/100-17	33L	F,R	TT
80/90-17	44P	-	TT
80/100-14	49L	F,R	TT
90/90-18	57P	F,R	TT



VRM-160

Size	Load/Speed Index	F/R	TT/TBL
2.75-18	48P	F	TT/TBL
3.00-18	47P	F	TT
80/100-18	47S	-	TT
90/90-18	57P	F	TT
100/90-18	52S	R	TT/TBL



VRM-165
TIGER ROAD

Size	Load/Speed Index	F/R	TT/TBL
50/45-17	22P	F,R	TT
60/45-17	29P	F,R	TT
70/45-17	39P	F,R	TT



VRM-167F

Size	Load/Speed Index	F/R	TT/TBL
2.25-17	39P	F	TT



VRM-168R

Size	Load/Speed Index	F/R	TT/TBL
2.50-17	43P	R	TT



VRM-177

Size	Load/Speed Index	F/R	TT/TBL
2.50-17	43P	F,R	TT



Size	Load/Speed Index	F/R	TT/TBL
2.25-17	39 P	F	TT



Size	Load/Speed Index	F/R	TT/TBL
2.75-16	46 M	F,R	TT



Size	Load/Speed Index	F/R	TT/TBL
2 3/4-16	36 B	-	TT



Size	Load/Speed Index	F/R	TT/TBL
90/90-19	52 T	F	TBL
100/90-19	57 T	F	TBL
100/90H18	56 H	F	TBL



Size	Load/Speed Index	F/R	TT/TBL
110/90H18	61 H	R	TBL
120/90-16	63 H	R	TBL
120/90H18	65 H	R	TBL
130/90-16	67 T	R	TBL
130/90H17	68 H	R	TBL
130/90H18	69 H	R	TBL
140/90H15	70 H	R	TBL
140/90H16	71 H	R	TBL



Size	Load/Speed Index	F/R	TT/TBL
120/90-16	63 S	R	TT/TBL
130/90-15	66 S	R	TT/TBL



Size	Load/Speed Index	F/R	TT/TBL
90/80-5	-	-	TT



Size	Load/Speed Index	F/R	TT/TBL
2 1/2-16	42 P	F,R	TT/TBL
2 3/4-16	46 P	F,R	TT/TBL
2 3/4-17	47 P	-	TBL



Size	Load/Speed Index	F/R	TT/TBL
2.50-17	43 J	F,R	TT



Size	Load/Speed Index	F/R	TT/TBL
2.50-17	38 L	F,R	TT
2.75-17	41 P	F,R	TT
3.00-18	47 L	F,R	TT



Size	Load/Speed Index	F/R	TT/TBL
100/90-19	57 T	F	TT/TBL
130/90-16	67 T	R	TT/TBL



Size	Load/Speed Index	F/R	TT/TBL
5.4-6	-	-	TT



Size	Load/Speed Index	F/R	TT/TBL
2.75-17	47 P	F,R	TT
2.75-18	-	F,R	TT
3.00-16	-	F,R	TT
3.00-17	-	F,R	TT
3.00-18	-	F,R	TT



Size	Load/Speed Index	F/R	TT/TBL
90/65 R 6.5	-	F	TBL
110/50 R 6.5	-	R	TBL



Size	Load/Speed Index	F/R	TT/TBL
50/45-17	22 P	F,R	TT
60/45-17	29 P	F,R	TT
70/45-17	39 P	F,R	TT
80/45-17	43 P	F,R	TT



Size	Load/Speed Index	F/R	TT/TBL
90/80-17	46 S	F	TBL
100/80-16	50 T	F	TBL
110/70-16	52 S, 52 P	F	TBL
120/70-15	56 P	F	TBL
120/80-16	60 S	R	TBL
120/80-17	61 S	R	TBL
130/70-16	61 P	R	TBL
130/80-15	63 P	R	TBL
130/80-16	64 T	R	TBL
140/70-16	65 S	R	TBL



Size	Load/Speed Index	F/R	TT/TBL
80/90-17	44 P	F,R	TBL
110/90-16	59 P	F,R	TT/TBL



Size	Load/Speed Index	F/R	TT/TBL
90/90-17	49 P	F	TT

STREET TIRES



VRM-232

Size	Load/Speed Index	F/R	TT/TBL
130/90-15	66 P	R	TT



VRM-233

Size	Load/Speed Index	F/R	TT/TBL
3.60-18	51 H	-	TBL
80/90-18	45 P	-	TBL



VRM-234

«F.R»

Size	Load/Speed Index	F/R	TT/TBL
60/100-17	33 P	F	TT
70/90-17	38 P	R	TT



VRM-241

Size	Load/Speed Index	F/R	TT/TBL
60/90-17	30 P	F,R	TT
70/90-17	38 P	F,R	TT



VRM-244

Size	Load/Speed Index	F/R	TT/TBL
70/90-17	38 P	-	TT
80/90-17	44 P	-	TT



VRM-245

Size	Load/Speed Index	F/R	TT/TBL
50/45-17	22 P	F,R	TT
60/45-17	29 P	F,R	TT
70/45-17	39 P	F,R	TT



VRM-249

Size	Load/Speed Index	F/R	TT/TBL
80/100-18	47 P	F,R	TBL
100/80-17	52 H	F,R	TBL
110/70-17	54 H	-	TBL
110/80-17	57 H	F,R	TBL
120/70-17	58 H	F	TBL
130/60-17	59 H	R	TBL
130/70-17	62 H	-	TBL
130/80-17	65 H	-	TBL



VRM-250

«F.R»

Size	Load/Speed Index	F/R	TT/TBL
2.25-17	33 P	F	TT
2.50-17	38 P	R	TT
2.75-18	42 P	F	TT
60/100-17	33 P	F,R	TT
80/100-14	49 P	F,R	TT
90/90-18	57 P	R	TT



VRM-258

Size	Load/Speed Index	F/R	TT/TBL
50/80-17	22 P	-	TT
60/80-17	27 P	-	TT/TBL
70/80-17	35 P	-	TT/TBL
80/80-17	41 P	-	TT/TBL



VRM-262

Size	Load/Speed Index	F/R	TT/TBL
2 3/4-16	-	-	TBL

RACING RADIAL



VRM-263

Size	Load/Speed Index	F/R	TT/TBL
60/100-17	33 L	-	TT
80/100-14	49 L	-	TT
90/90-18	57 P	-	TT



VRM-265

Size	Load/Speed Index	F/R	TT/TBL
45/90-17	19 S	-	TT
50/80-17	22 P	-	TT
50/100-14	24 P	-	TT
50/100-17	22 P	-	TT
60/80-17	27 P	-	TT
60/90-14	32 P	-	TT
60/90-17	30 P	-	TT
70/90-17	38 P	-	TT/TBL



VRM-277

Size	Load/Speed Index	F/R	TT/TBL
100/70-17	49 H	-	TBL



VRM-266

Size	Load/Speed Index	F/R	TT/TBL
90/65 R6.5	-	F	TBL
95/70 R17	-	F	TBL
110/50 R6.5	-	R	TBL
115/70 R17	-	R	TBL
125/55 R17	-	R	TBL



VRM-278

Size	Load/Speed Index	F/R	TT/TBL
110/70R1754 H	-	-	TBL



VRM-279F

Size	Load/Speed Index	F/R	TT/TBL
2.25-17	33 L	F	TT



VRM-279R

Size	Load/Speed Index	F/R	TT/TBL
2.50-17	38 L	R	TT



VRM-280

Size	Load/Speed Index	F/R	TT/TBL
60/80-17	27 P	-	TT
70/80-17	35 P	-	TT
80/80-17	41 P	-	TT
90/80-17	46 P	-	TT



VRM-282

Size	Load/Speed Index	F/R	TT/TBL
50/80-17	22 P	-	TT
60/80-17	27 P	-	TT
70/80-17	35 P	-	TT
70/90-14	34 P	-	TT/TBL
70/90-16	36 P	F	TT/TBL
80/90-14	40 P	-	TT/TBL
80/90-16	43 P	-	TT/TBL



VRM-283F

Size	Load/Speed Index	F/R	TT/TBL
2.25-17	33 L	F	TT
90/80-16	52 P	F	TBL



VRM-283R

Size	Load/Speed Index	F/R	TT/TBL
2.50-17	38 L	R	TT
100/80-16	56 P	R	TBL



VRM-285

Size	Load/Speed Index	F/R	TT/TBL
70/80-17	35 P	-	TBL



VRM-286

Size	Load/Speed Index	F/R	TT/TBL
2.25-17	33 L	-	TT
2.50-17	38 L	-	TT
2.50-18	45 L	-	TT



VRM-291

Size	Load/Speed Index	F/R	TT/TBL
3.00-17	45 P	-	TT



VRM-292
GEKKO STAR

Size	Load/Speed Index	F/R	TT/TBL
70/90-17	38 P	-	TT
80/90-17	44 P	-	TT
90/80-17	46 P	-	TBL



VRM-294

Size	Load/Speed Index	F/R	TT/TBL
80/90-21	48 S	F	TBL
100/80-17	52 S	-	TT/TBL
110/80-18	58 S	R	TBL
130/70-17	62 S	-	TT/TBL



VRM-295F

Size	Load/Speed Index	F/R	TT/TBL
60/100-17	33 P	F	TT



VRM-295R

Size	Load/Speed Index	F/R	TT/TBL
70/90-17	43 P	R	TT



«FR»



VRM-299

Size	Load/Speed Index	F/R	TT/TBL
90/100-18	54 S	F	TBL
120/90-16	63 S	R	TBL



VRM-304

Size	Load/Speed Index	F/R	TT/TBL
60/100-17	33 P	F	TT
80/90-17	44 P	R	TT



VRM-305

Size	Load/Speed Index	F/R	TT/TBL
70/90-17	38 P	-	TBL
80/90-17	44 P	-	TBL



VRM-310

Size	Load/Speed Index	F/R	TT/TBL
50/80-17	22 P	-	TT
60/80-17	27 P	-	TT
70/80-17	35 P	-	TT



Size	Load/Speed Index	TT/TBL	Size	Load/Speed Index	TT/TBL	Size	Load/Speed Index	TT/TBL	Size	Load/Speed Index	TT/TBL	Size	Load/Speed Index	TT/TBL	
90/65 R 6.5	-	F TBL	110/50 R 6.5	-	R TBL	50/100-17 22 P	-	TT	70/90-17 38 S	F,R	TT	2.25-17	33 L	-	TT
						60/90-17 30 P	-	TT	80/90-17 44 S	F,R	TT	2.50-17	38 L	-	TT
						70/90-17 38 P	-	TT	90/80-17 46 S	F,R	TT	2.75-14	41 P	-	TT
									100/70 R1749 H	-	TBL				



Size	Load/Speed Index	TT/TBL	Size	Load/Speed Index	TT/TBL	Size	Load/Speed Index	TT/TBL	Size	Load/Speed Index	TT/TBL	Size	Load/Speed Index	TT/TBL
80/90-17 44 P	R	TBL	45/90-17 19 S	-	TT	2.50-17 38 L	F	TT	70/90-14 34 P	F	TT	100/80-17 52 S	F	TBL
			50/100-17 22 P	-	TT				80/90-14 40 P	F	TT	130/70-17 62 S	R	TBL
			60/90-14 32 P	-	TT				80/90-14 46 P	R	TT			
			60/90-17 30 P	-	TT				90/90-14 46 P	R	TT			
			70/90-14 34 P	-	TT									
			70/90-17 38 P	-	TT									
			80/90-14 40 P	-	TT									
			80/90-17 44 P	-	TT									



Size	Load/Speed Index	TT/TBL	Size	Load/Speed Index	TT/TBL	Size	Load/Speed Index	TT/TBL	Size	Load/Speed Index	TT/TBL	Size	Load/Speed Index	TT/TBL	
2 1/4-16 26 B	F,R	TT	70/80-17 35 P	F	TT	90/65 R 6.5	-	TBL	100/80-17 52 S	F	TBL	2.75-14	41 P	-	TT
			80/80-17 41 P	R	TT	110/50 R 6.5	-	TBL	130/70-17 62 S	R	TBL				

STREET TIRES



STREET TIRES



VRM-356

Size	Load/Speed Index	F	R	TT/TBL
70/90-16	36 P	F		TBL



VRM-357

Size	Load/Speed Index	F	R	TT/TBL
60/100-17	33 P	F		TT
70/90-17	43 P	R		TT

«F.R»



VRM-358

Size	Load/Speed Index	F	R	TT/TBL
60/100-17	33 P	F		TT
70/90-17	43 P	R		TT

«F.R»



VRM-359

Size	Load/Speed Index	F	R	TT/TBL
2.50-17	38 P	-		TT
2.75-17	41P	-		TT
2.75-18	42P	-		TT
60/100-17	33 P	-		TT
80/100-14	49 P	-		TT
90/90-18	57 P	-		TT
110/80-14	53 P	-		TT



VRM-360
GEKKO STAR

Size	Load/Speed Index	F	R	TT/TBL
45/90-17	19 S	-		TT
50/100-17	22 S	-		TT
60/90-17	30 P	-		TT
70/80-17	35 P	-		TT
80/80-17	41 P	-		TT



VRM-361

Size	Load/Speed Index	F	R	TT/TBL
100/90-19	57 H	-		TT/TBL
170/80	B1583 H	-		TBL



VRM-362
GEKKO STAR

Size	Load/Speed Index	F	R	TT/TBL
45/90-17	19 S	-		TT
50/100-17	22 S	-		TT
60/90-17	30 S	-		TT
70/80-17	-	-		TT
80/80-17	-	-		TT

"SATAN"

"RAIN"





VRM-021

Size	Load/Speed Index	F/R	TT/TBL
2.50-17	43 M	F,R	TT
2.75-18	48 P	F,R	TT
2.75-19	49 P	F	TT
2.75-21	50 P	F	TT
3.00-14	40 R	F,R	TT
3.00-18	52 P	R	TT
3.25-18	59 R	R	TT
4.00-18	64 P	R	TT



VRM-022

Size	Load/Speed Index	F/R	TT/TBL
2.75-14	35 P	F,R	TT
2.75-17	47 R	R	TT
2.75-18	42 R	-	TT
2.75-19	49 R	F	TT
2.75-21	51 R	F	TT
3.00-16	52 R	R	TT
3.00-17	48 R	R	TT
3.00-18	52 R	R	TT
3.00-21	51 R	F	TT
3.25-16	56 R	R	TT
3.25-17	60 R	R	TT
4.00-18	64 R	R	TT
4.60-17	62 R	R	TT



VRM-022B

Size	Load/Speed Index	F/R	TT/TBL
3.50-16	58 R	R	TT
3.50-18	62 R	R	TT
4.10-18	62 R	R	TT



VRM-122

Size	Load/Speed Index	F/R	TT/TBL
80/90-21	48 P	F	TT
90/90-19	52 J	-	TT
90/90-21	54 P	F	TT
110/80-17	57 J	-	TT
110/80-18	62 P	R	TT
120/80-18	62 P	R	TT



VRM-156

Size	Load/Speed Index	F/R	TT/TBL
2.75-18	42 R	-	TT
2.75-21	45 P	-	TT
3.00-21	51 R	-	TT
3.50-18	62 R	-	TT
4.10-18(156)	62 R	-	TT
4.60-17	62 R	-	TT
60/100-17	33 P	-	TT
80/100-14	49 P	-	TT
90/90-18	51 R	-	TT



VRM-206

Size	Load/Speed Index	F/R	TT/TBL
2.75-21	45 P	F	TT
3.00-21	51 P	F	TT
4.00-18	64 P	R	TT
4.10-18	60 P	R	TT
4.60-17	62 P	R	TT



VRM-193

«FR»

Size	Load/Speed Index	F/R	TT/TBL
2.75-21	45 P	F	TT
4.10-18	59 P	R	TT
90/90-21	54 H	F	TBL
90/90-21	54 P	F	TT
100/90-18	56 P	F	TT
130/80-17	65 H	R	TBL
130/80-17	65 P	R	TT



VRM-219

Size	Load/Speed Index	F/R	TT/TBL
2.50-16	36 L	F,R	TT
2.75-14	35 L	-	TT

TRAIL TIRES



VRM-221

Size	Load/Speed Index	F/R	TT/TBL
2.75-21	45 P	F	TT
3.00-21	51 P	F	TT
4.10-18	60 P	R	TT
4.60-18	63 P	R	TT



VRM-335F

Size	Load/Speed Index	F/R	TT/TBL
90/90-21	54 R	F	TT



VRM-335R

Size	Load/Speed Index	F/R	TT/TBL
110/80-18	58 R	R	TT



VRM-308F

Size	Load/Speed Index	F/R	TT/TBL
2.50-19	41 L	F	TT
2.75-21	45 L	F	TT



VRM-308R

Size	Load/Speed Index	F/R	TT/TBL
3.50 R17	54 L	R	TBL
4.00 R18	64 L	R	TBL

MOTOCROSS TIRES



VRM-031

Size	Load/Speed Index	T/R	TT/TBR
2.50-17	43 M	R	TT
2.75-21	52 P	R	TT
3.50-18	62 P	R	TT



VRM-109

«F.R»

Size	Load/Speed Index	T/R	TT/TBR
3.00-21	51 R	F	TT
3.50-18	62 P	R	TT
4.00-18	64 P	R	TT
4.10-14	69 M	R	TT
4.50-17	67 P	R	TT
4.50-18	72 P	R	TT
4.60-17	62 P	R	TT
110/90-1962 M		F	TT



VRM-140

Size	Load/Speed Index	T/R	TT/TBR
2.50-10	33 J	F	TT
70/100-1740 M		F	TT
70/100-1942 M		R	TT
80/100-1241 M		R	TT
80/100-1449 M		R	TT
80/100-2151 M		F	TT
90/100-1651 M		R	TT
100/90-1957 M		R	TT
100/100-1859 M		R	TT
110/90-1962 M		R	TT
120/90-1966 M		R	TT
110/100-1864 M		R	TT
120/100-1868 M		R	TT



VRM-147

Size	Load/Speed Index	T/R	TT/TBR
4.10-17	67 R	R	TT
90/90-21	54 R	F	TT
120/90-18 65 L		R	TT
130/90-17 68 P		R	TT
130/90-18 69 R		R	TT
140/80-18 70 R		R	TT



VRM-174

Size	Load/Speed Index	T/R	TT/TBR
2.50-10	-	-	TT
2.50-14	-	-	TT
2.50-15	-	-	TT
2.50-18	-	-	TT
2.75-10	37 J	-	TT
2.75-18	-	-	TT
3.00-10	-	-	TT
3.00-12	-	-	TT



VRM-175

Size	Load/Speed Index	T/R	TT/TBR	FIM
120/80-19 63 R		R	TT	FIM
120/90-18 65 M		R	TT	FIM
140/80-18 70 R		R	TT	FIM



VRM-200

«F.R»

Size	Load/Speed Index	T/R	TT/TBR
80/100-2151 M		F	TT
100/90-1957 M		R	TT
100/100-1859 M		R	TT
110/90-1962 M		R	TT
110/100-1864 M		R	TT
120/90-1966 M		R	TT



VRM-211

«F.R»

Size	Load/Speed Index	T/R	TT/TBR	FIM
90/90-21	54 R	F	TT	FIM
110/80-19 59 R		R	TT	FIM
120/90-18 65 R		R	TT	FIM



VRM-211B

Size	Load/Speed Index	T/R	TT/TBR	FIM
140/80-18 70 R		R	TT	FIM



«F.R»

VRM-229

Size	Load/Speed Index	T/R	TT/TBR
80/90-18 45 M		F	TT
80/100-2151 M		F	TT
90/90-18 51 M		R	TT
100/90-1957 M		R	TT
100/100-1859 M		R	TT
110/90-1962 M		R	TT
110/100-1864 M		R	TT



VRM-236

Size	Load/Speed Index	T/R	TT/TBR
3.00-16	360 LBS	-	TT



VRM-237

Size	Load/Speed Index	T/R	TT/TBR
2.50-8	220 LBS	-	TT



VRM-240

Size	Load/Speed Index	T/R	TT/TBR
90/100-2056 M		-	TT



VRM-243

Size	Load/Speed Index	T/R	TT/TBR
110/100-1864 M		R	TT
110/90-19585 LBSF			TT

MOTOCROSS TIRES



VRM-270

Size	Load/Speed Index	F/R	TT/TBL
2.50-10	32 J	-	TT
2.50-12	42 J	-	TT



VRM-271

Size	Load/Speed Index	F/R	TT/TBL
2.75-10	37 J	-	TT



VRM-272

Size	Load/Speed Index	F/R	TT/TBL
60/100-14/29 M	-	-	TT



VRM-163

Size	Load/Speed Index	F/R	TT/TBL
2.75-21	45 P	F	TT
4.10-18	59 P	R	TT
90/90-21	54 S	F	TT/TBL
90/100-19	55 P	F	TT/TBL
120/90-16	63 P	R	TT/TBL
120/90-17	64 T	R	TT/TBL
120/90-18	62 T	R	TBL
130/80-17	65 S	R	TBL
140/80-17	69 S	R	TBL



VRM-251

Size	Load/Speed Index	F/R	TT/TBL
5.10-17	-	-	TT
5.10-18	-	-	TT



VRM-274

Size	Load/Speed Index	F/R	TT/TBL
130/80-18	66 P	-	TT



VRM-273

Size	Load/Speed Index	F/R	TT/TBL
80/100-12	41 M	-	TT



VRM-276

Size	Load/Speed Index	F/R	TT/TBL
80/100-21	51 M	-	TT



VRM-300F

Size	Load/Speed Index	F/R	TT/TBL
70/100-17	40 M	F	TT
80/100-21	51 M	F	TT



VRM-275

Size	Load/Speed Index	F/R	TT/TBL
180/80-14	78 P	-	TT



VRM-298

Size	Load/Speed Index	F/R	TT/TBL
90/100-19	55 P	F	TBL
120/90-16	63 P	R	TBL



VRM-303R

Size	Load/Speed Index	F/R	TT/TBL
140/80-18	73 R	R	TT



VRM-300R

Size	Load/Speed Index	F/R	TT/TBL
90/100-14	49 M	R	TT
100/100-18	59 M	R	TT
110/100-18	64 M	R	TT
100/90-19	57 M	R	TT
110/90-19	62 M	R	TT



VRM-340F

Size	Load/Speed Index	F/R	TT/TBL
90/90-21	54 M	F	TT

(STEP KNOB)



VRM-340R

Size	Load/Speed Index	F/R	TT/TBL
120/100-18	68 M	R	TT



VRM-307

Size	Load/Speed Index	F/R	TT/TBL
90/90-19	52 P	F	TT/TBL
110/90-17	60 P	R	TT/TBL



VRM-354

Size	Load/Speed Index	F/R	TT/TBL
80/100-19	49 P	F	TBL
120/90-16	63 P	R	TBL

«F.R»

ENDURO TIRES

www.veerubber.co.th

SNOW TIRES



VRM-325
STUD LESS

Size	Load/Speed Index	F/R	TT/TBL
2.25-17	33 P	F,R	TT
2.50-17	38 P	F,R	TT
2.75-14 4PR35 P		F,R	TT
2.75-14 6PR41 P		-	TT



VRM-331
STUD LESS

Size	Load/Speed Index	F/R	TT/TBL
2.75-14	35 P	F	TT
2.75-14	41 P	R	TT

«F.R»



VRM-339
STUD LESS

Size	Load/Speed Index	F/R	TT/TBL
2.75-14	41 P	F,R	TT



VRM-346

Size	Load/Speed Index	F/R	TT/TBL
3.00-10	-	F,R	TBL



VRM-349

Size	Load/Speed Index	F/R	TT/TBL
2.75-14	41 P	F,R	TT



VRM-353

Size	Load/Speed Index	F/R	TT/TBL
2.75-14	41 P	F,R	TT
80/80-16	46 J	F,R	TBL
90/80-16	52 J	F,R	TBL
110/80-14	59 J	F,R	TBL

TUBES

www.veerubber.co.th

VALVE
SIZE



- TR4
 - TR13
 - TR87
 - PV78
- 90/80-5
200/225-14, 225-14, 60/100-14
200/225-16, 225/250-16
200/225-17, 60/100-17
200/225-19
2 1/2-2 1/4-16/17, 200/225-16/17, 70/90-16
2 1/4-2 1/2-17, 2 1/4-17, 225-17, 225/250-17, 70/90-17, 70/80-17
2 1/4-2 1/2-18, 2 1/4-18, 225/250-18, 70/90-18
2 1/4-19, 225/250-19, 70/100-19
250-8
250-10, 275-10, 250/275-10
250-12, 250/275-12
250/275-14, 80/80-14
250/275-15, 250-15
2 1/2-2 3/4-16, 2 3/4-16, 250/275-16, 275-16, 275/300-16, 275/80-16, 325/80-16, 80/90-16, 90/80-16
2 3/4-17, 250-17, 250/275-17, 80/90-17, 8/80-17, 70/100-17
250-18, 250/275-18, 70/100-18, 80/80-18, 80/90-18
2 1/2-21, 250/275-21
275-8, 300-8, 275/300-8
275/300-10
275/300-12, 80/100-12
275/300-14, 410-14, 80/100-14, 300/325-14, 350/410-14, 90/100-14, 100/90-14, 110/80-14, 90/80-14
275/300-17, 275-17, 300-17, 300/325-17, 100/80-17, 90/90-17
275/300-18, 275-18, 300-18, 90/90-18
275/300-9, 275-9
250/275-19, 275-19, 275/300-19
275/300-21, 80/100-21, 90/90-21, 80/90-21, 26-2 1/2
300/350-10, 90/90-10, 100/80-10, 100/90-10
300-12, 300/325-12, 300/325/350-12, 110/70-12
300-16, 300/325-16, 90/90-16, 90/100-16, 3 1/4-16
300-18, 300/325-18, 90/90-18, 100/80-18, 100/90-18
300/325-19, 90/90-19, 90/100-19
300/325-21, 90/90-21, 90/100-21
320/350-16, 110/90-16, 120/80-16, 120/90-16
325/350-17, 325-17, 130/70-17, 110/80-17
325/350-18, 325/350/410-18, 410-18, 110/80-18
325/350-19, 325/350/410-19, 100/90-19
350-8, 350/400-8
350/400-10, 120/130/90-10, 120/130/70-10
350/400-12, 400-12, 120/130/70-12
350/400-13, 130/60-13, 130/70-13
350/400-17, 120/80-17, 130/80-17, 130/90-17, 120/90-17
350/400-18, 100/100-18, 110/100-18, 110/120/90-18, 130/80-18
350/400-19, 110/90-19, 120/80-19, 130/70-19
400/450-18, 400/450/475-18, 400-18, 130/90-18, 140/80-18
400/450-19, 120/90-19, 130/90-19
400/450-10
450-12, 410/450-12, 110/90-12
450/510-15, 130/140/90-15 130/90-15
450/510-16, 450/510/550-16, 120/130/90-16
450/510-17, 450/510/550-17, 460-17, 450-17
13 x 5.00-6
500/510-16
500/550-18, 140/90-18
120/100-18



TUBES

MAXI SCOOTER

DIMENSION	INDEX	PATTERN	TT./TBL
3.50-10	51 P	VRM-228	TT.
100/80-10	52 S	VRM-134	TBL.
	53 L	VRM-144	TBL.
	56 L	VRM-144	TBL.
	53 L	VRM-217	TBL.
100/90-10	56 P	VRM-054	TT./TBL.
	56 L	VRM-090	TT./TBL.
	56 L	VRM-134	TT./TBL.
110/70-11	45 L	VRM-217	TBL.
110/70-12	47 L, 62 P	VRM-155	TBL.
110/90-10	66 L	VRM-119B	TBL.
110/90-12	64 M	VRM-112	TBL.
	64 P	VRM-119B	TBL.
	64 L	VRM-134	TBL.
	64 S	VRM-134	TBL.
	64 L	VRM-155	TBL.
110/90-13	56 P	VRM-119B	TBL.
	56 L	VRM-155	TBL.
	60 L	VRM-184	TBL.
	60 S	VRM-184	TBL.
110/100-12	67 L	VRM-119B	TBL.
115/80-13	52 M	VRM-162	TBL.
120/70-10	54 L	VRM-144	TBL.
	54 L	VRM-217	TBL.
120/70-11	50 M	VRM-133	TBL.
	50 L	VRM-134	TBL.
120/70-12	60 P	VRM-119C	TBL.
	51 L	VRM-134	TBL.
	51 L, 51 S	VRM-155	TBL.
	58 P	VRM-155	TBL.
	51 L	VRM-184	TBL.
	58 S	VRM-281	TBL.
	58 P	VRM-319F	TBL.
120/70-13	53 P	VRM-119C	TBL.
	53 L	VRM-184	TBL.
120/70-14	61 H	VRM-281	TBL.
	55 P	VRM-319F	TBL.
120/70-15	56 H	VRM-281	TBL.
120/80-12	65 M	VRM-133	TBL.
120/80-14	58 S	VRM-119B	TBL.
120/90-10	66 L	VRM-119B	TBL.
	66 L	VRM-119C	TBL.
	66 L	VRM-133	TBL.
	66 M	VRM-137	TBL.
	57 L	VRM-318	TBL.
130/60-13	60 P	VRM-119C	TBL.
	61 L	VRM-184	TBL.
	60 H	VRM-281	TBL.
130/70-11	60 L	VRM-134	TBL.
130/70-12	60 P, 62 P	VRM-119C	TBL.
	56 L	VRM-134	TBL.
	62 L	VRM-134	TBL.
	56 L	VRM-155	TBL.
	56 S	VRM-155	TBL.
	61 L	VRM-184	TBL.
	62 S	VRM-281	TBL.
	62 P	VRM-319R	TBL.

SCOOTER TIRES

DIMENSION	INDEX	PATTERN	TT./TBL
130/70-13	63 P	VRM-119C	TBL.
	57 L	VRM-155	TBL.
	60 L	VRM-184	TBL.
	60 S	VRM-184	TBL.
130/90-10	61 L	VRM-119B	TT./TBL.
	70 L	VRM-119C	TBL.
	70 L	VRM-133	TBL.
	66 M	VRM-137	TBL.
140/60-12	62 L	VRM-119C	TBL.
	56 M	VRM-134	TBL.
140/60-13	57 L	VRM-184	TBL.
140/60-14	64 H	VRM-281	TBL.
	64 S	VRM-319R	TBL.
140/70-12	65 P	VRM-119C	TBL.
	60 L	VRM-155	TBL.
	64 S	VRM-281	TBL.
140/70-13	62 M	VRM-162	TBL.
140/70-14	68 H	VRM-281	TBL.
150/70-12	64 S	VRM-119C	TBL.
150/80-10	65 L	VRM-318	TBL.
2.50-9	25 D	VRM-014	TT.
2.50-10	39 J	VRM-018	TT.
2.75-10	37 J	VRM-052	TT.
	40 J	VRM-119B	TT.
	37 J	VRM-113	TT.
3.00-8	37 J	VRM-113	TT.
3.00-10	42 J	VRM-054	TT./TBL.
	42 J	VRM-081	TT.
3.00-10	42 J	VRM-099	TT./TBL.
	42 J	VRM-134	TT./TBL.
	42 J	VRM-146	TBL.
3.00-12	43 J	VRM-094	TT.
	47 J	VRM-220	TT.
3.50-8	46 J	VRM-051	TT.
	45 J	VRM-108	TT.
	45 J	VRM-164	TT.
3.50-10	59 J	VRM-054	TT./TBL.
	56 J	VRM-099	TT./TBL.
	56 J	VRM-134	TT./TBL.
	51 J	VRM-144	TT./TBL.
	51 J	VRM-146	TBL.
	56 J	VRM-146	TBL.
	51 J	VRM-219	TT.
	59 L	VRM-351	TBL.
4.00-8	55 J	VRM-108	TT.
4.00-10	74 J	VRM-138	TT.
4.00-12	77 J	VRM-138	TT.
4.50-10	76 J	VRM-138	TT.
70/90-16	42 J	VRM-144	TT./TBL.
80/80-16	46 J	VRM-144	TBL.
80/80-16 (POSTAL)	46 J	VRM-144	TBL.
80/90-10	44 J	VRM-146	TBL.
80/100-10	38 J	VRM-146	TBL.
90/80-16	52 J	VRM-144	TT./TBL.

DIMENSION	INDEX	PATTERN	TT./TBL
90/90-10	50 J	VRM-100	TT./TBL.
	50 J	VRM-116	TT./TBL.
	50 J	VRM-133	TBL.
	50 J	VRM-134	TT./TBL.
	50 J	VRM-146	TBL.
90/90-12	44 J	VRM-297F	TBL.
90/100-10	53 J	VRM-146	TBL.
100/80-10	56 J	VRM-100	TT./TBL.
	56 J	VRM-116	TT./TBL.
	56 J	VRM-119B	TT./TBL.
	52 J	VRM-134	TBL.
	56 J	VRM-134	TBL.
	53 J	VRM-146	TBL.
100/90-10	56 J	VRM-098	TT./TBL.
	56 J	VRM-133	TBL.
	61 J	VRM-139	TT.
	56 J	VRM-146	TBL.
	56 L	VRM-348	TT./TBL.
110/70-12	62 P	VRM-351	TBL.
110/80-10	58 J	VRM-133	TBL.
	58 J	VRM-134	TBL.
110/80-14	59 J	VRM-144	TBL.
110/80-14 (POSTAL)	59 J	VRM-144	TBL.
110/90-10	61 J	VRM-133	TBL.
	51 J	VRM-279F	TBL.
110/90-12	-	VRM-140	TBL.
120/70-12	58 J	VRM-100	TT./TBL.
	51 L	VRM-139	TBL.
	58 S	VRM-351	TBL.
120/70-13	53 P	VRM-342	TBL.
120/70-14	55 P	VRM-342	TBL.
120/80-14	58 S	VRM-119B	TBL.
120/90-10	56 J	VRM-054	TT.
	56 J	VRM-112	TT./TBL.
	56 J	VRM-119B	TT./TBL.
	56 J	VRM-133	TBL.
	-	VRM-140	TBL.
130/60-13	53 J	VRM-119B	TBL.
	55 J	VRM-119B	TBL.
	55 J	VRM-133	TBL.
	60 S	VRM-351	TBL.
130/70-10	62 J	VRM-134	TBL.
130/70-12	62 J	VRM-100	TT./TBL.
	61 J	VRM-133	TBL.
	62 S	VRM-351	TBL.
130/70-13	57 J	VRM-162	TBL.
130/80-12	69 J	VRM-133	TBL.
130/90-10	61 J	VRM-112	TT./TBL.
	61 J	VRM-119B	TBL.
	61 J	VRM-133	TBL.
140/60-13	57 P	VRM-342	TBL.
140/60-13	63 S	VRM-351	TBL.
140/60-14	64 P	VRM-342	TBL.
140/70-12	65 L	VRM-139	TBL.

MOPED TIRES

DIMENSION	INDEX	PATTERN	TT./TBL
21/4-16	38 J	VRM-087	TT.
	38 J	VRM-093M	TT.
	38 J	VRM-099	TT.
21/4-16	26 B	VRM-343	TT.
21/4-17	39 J	VRM-087	TT.
	39 J	VRM-099	TT./TBL.
	39 J	VRM-129	TT.
21/4-18	43 J	VRM-087	TT.
	43 J	VRM-129	TT.
21/2-14	39 J	VRM-087	TT.
21/2-16	42 J	VRM-087	TT.
21/2-16	42 J	VRM-097	TT.
	42 P	VRM-201	TT./TBL.
21/2-17	43 J	VRM-087	TT.
	39 J	VRM-099	TT.
	43 J	VRM-129	TT.
21/2-18	44 J	VRM-087	TT.
21/2-21	38 J	VRM-022M	TT.
23/4-16	43 J	VRM-094	TT.
	43 J	VRM-099	TT./TBL.
	36 B	VRM-186	TT.
	46 P	VRM-201	TT./TBL.
	-	VRM-262	TBL.
23/4-17	46 J	VRM-087	TT.
	39 J	VRM-099	TT.
	47 P	VRM-201	TBL.
3-18	52 J	VRM-022M	TT.

STREET TIRES

DIMENSION	INDEX	PATTERN	TT./TBL
2.00-16	36 J	VRM-087	TT.
2.00-17	33 J	VRM-054	TT.
	38 J	VRM-087	TT.
	33 J	VRM-093	TT.
	33 J	VRM-099	TT.
	33 P	VRM-125	TT.
	27 L	VRM-126	TT.
	27 L	VRM-329	TT.
2.25-14	24 B	VRM-020	TT.
2.25-17	39 L	VRM-011	TT.
	39 J	VRM-013	TT.
	39 J	VRM-018	TT.
	39 J	VRM-019	TT.
	39 J	VRM-054	TT.
	39 P	VRM-081	TT.
	33 L	VRM-085	TT.
	39 L	VRM-086	TT.
	39 J	VRM-093	TT.
	39 L	VRM-094	TT.
	39 J	VRM-097	TT.
	38 L	VRM-099	TT.
	39 L	VRM-101	TT.
	39 L	VRM-103	TT.
	39 J	VRM-114	TT.
	39 J	VRM-115	TT.

DIMENSION	INDEX	PATTERN	TT./TBL
	39 P	VRM-125	TT.
2.25-17	39 P	VRM-126	TT.
	39 P	VRM-132	TT.
	38 P	VRM-159	TT.
	39 P	VRM-167F	TT.
	39 P	VRM-178	TT.
	33 P	VRM-250	TT.
	33 L	VRM-279F	TT.
	33 L	VRM-283F	TT.
	33 L	VRM-286	TT.
	33 L	VRM-320	TT.
2.25-19	43 J	VRM-013	TT.
2.50-16	41 L	VRM-132	TT.
	41 P	VRM-159	TT.
2.50-17	43 L	VRM-011	TT.
	43 J	VRM-014	TT.
	43 L	VRM-015	TT.
	43 L	VRM-019	TT.
	43 J	VRM-054	TT.
	43 P	VRM-081	TT.
	43 J	VRM-086	TT.
	43 L	VRM-094	TT.
	43 J	VRM-096	TT.
	43 J	VRM-097	TT.
	39 J	VRM-099	TT.
	43 L	VRM-101	TT.
	42 P	VRM-103	TT.
	43 L	VRM-115	TT.
	43 P	VRM-125	TT.
	43 P	VRM-126	TT.
	43 P	VRM-132	TT.
	43 P	VRM-159	TT.
	43 P	VRM-168R	TT.
	43 P	VRM-177	TT.
	43 J	VRM-204	TT.
	38 L	VRM-207	TT.
	38 P	VRM-250	TT.
	38 L	VRM-279R	TT.
	38 L	VRM-283R	TT.
	38 L	VRM-286	TT.
	38 L	VRM-320	TT.
	38 L	VRM-333F	TT.
	38 P	VRM-359	TT.
2.50-18	45 P	VRM-011	TT.
	45 P	VRM-015	TT.
	45 L	VRM-054	TT.
	45 L	VRM-081	TT.
	45 L	VRM-086	TT.
	45 P	VRM-115	TT.
	45 P	VRM-125	TT.
	45 L	VRM-126	TT.
	45 P	VRM-132	TT.
	45 P	VRM-159	TT.
	45 L	VRM-286	TT.
2.75-14 (POSTAL)	35 P	VRM-011	TT.
2.75-14	42 J	VRM-015	TT.
	43 J	VRM-100	TT.

DIMENSION	INDEX	PATTERN	TT./TBL
	41 P	VRM-320	TT.
	41 P	VRM-352	TT.
2.75-16	43 P	VRM-015	TT.
2.75-16	48 P	VRM-099	TT.
	46 L	VRM-100	TT.
	46 P	VRM-159	TT.
	46 M	VRM-185	TT.
2.75/80-16	43 J	VRM-097	TT./TBL.
2.75-17	46 P	VRM-015	TT.
	47 P	VRM-018	TT.
	42 P	VRM-088	TT.
	47 P	VRM-097	TT.
	47 P	VRM-125	TT.
	41 P	VRM-126	TT.
	47 P	VRM-159	TT.
	41 P	VRM-207	TT.
	47 P	VRM-214	TT.
	41 P	VRM-333R	TT.
	41 P	VRM-359	TT.
2.75-18	48 P	VRM-011	TT.
	48 P	VRM-015	TT.
	48 J	VRM-018	TT.
	48 P	VRM-019	TT.
	48 P	VRM-054	TT.
	48 P	VRM-103	TT.
	48 P	VRM-115	TT.
	48 P	VRM-125	TT.
	48 P	VRM-126	TT.
	47 P	VRM-158	TT.
	48 P	VRM-160	TT./TBL.
	41 P	VRM-207	TT.

STREET TIRES

DIMENSION	INDEX	PATTERN	TT./TBL.
3.60-18	51 P	VRM-081	TT.
	51 H	VRM-233	TBL.
3.60-19	52 P	VRM-081	TT.
4.10-18	60 P	VRM-081	TT.
	60 R	VRM-159	TT.
5.4-6	-	VRM-213	TT.
45/90-17	19 S	VRM-265S	TT.
	19 S	VRM-329	TT.
	19 S	VRM-360	TT.
45/90-17	19 S	VRM-362	TT.
50/45-17	22 P	VRM-165	TT.
	22 P	VRM-223	TT.
	22 P	VRM-245	TT.
50/80-17	22 P	VRM-258	TT.
	22 P	VRM-265S	TT.
	22 P	VRM-282	TT.
	22 P	VRM-310	TT.
50/100-14	24 P	VRM-265S	TT.
50/100-17	22 P	VRM-265	TT.
	22 P	VRM-316	TT.
	22 P	VRM-329	TT.
50/100-17	22 S	VRM-360	TT.
	22 S	VRM-362	TT.
60/45-17	29 P	VRM-165	TT.
	29 P	VRM-223	TT.
	29 P	VRM-245	TT.
60/80-17	27 P	VRM-258	TT./TBL.
	27 P	VRM-265S	TT.
	27 P	VRM-280	TT.
	27 P	VRM-282	TT.
	27 P	VRM-310	TT.
60/90-14	32 P	VRM-265S	TT.
	32 P	VRM-329	TT.
60/90-17	33 P	VRM-241	TT.
	30 P	VRM-265	TT.
	30 P	VRM-310	TT.
	30 P	VRM-329	TT.
	30 P	VRM-360	TT.
60/90-17	30 S	VRM-362	TT.
60/100-17	33 L	VRM-159	TT.
	33 L	VRM-263	TT.
60/100-17	33 P	VRM-234	TT.
	33 P	VRM-250	TT.
	33 P	VRM-295F	TT.
	33 P	VRM-304F	TT.
	33 P	VRM-357	TT.
	33 P	VRM-358	TT.
	33 P	VRM-359	TT.
70/45-17	39 P	VRM-165	TT.
	39 P	VRM-223	TT.
	39 P	VRM-245	TT.
70/80-17	35 P	VRM-258	TT./TBL.
	35 P	VRM-280	TT.
	35 P	VRM-282	TT.
	35 P	VRM-285	TBL.
	35 P	VRM-310	TT.
	35 P	VRM-347	TT.

DIMENSION	INDEX	PATTERN	TT./TBL.
70/80-17	35 P	VRM-360	TT.
	-	VRM-362	TT.
70/90-14	34 P	VRM-282	TT./TBL.
70/90-14	34 P	VRM-329	TT.
	34 P	VRM-338	TT.
70/90-16	36 P	VRM-282	TT./TBL.
	36 P	VRM-355	TBL.
70/90-17	43 P	VRM-081	TT.
	43 J	VRM-089	TT.
	39 J	VRM-093	TT.
	38 P	VRM-234	TT.
	38 P	VRM-241	TT.
	38 P	VRM-244	TT.
	38 P	VRM-265	TT./TBL.
	38 P	VRM-292	TT.
	43 P	VRM-295R	TT.
	38 P	VRM-305	TBL.
	38 P	VRM-316	TT.
	38 S	VRM-317	TT.
	38 P	VRM-322F	TBL.
	38 P	VRM-329	TT.
	43 P	VRM-357	TT.
	43 P	VRM-358	TT.
70/90-18	45 J	VRM-089	TT.
70/100-16	39 J	VRM-086	TT.
70/100-17	40 L	VRM-085	TT.
80/45-17	43 P	VRM-223	TT.
80/80-14	43 J	VRM-087	TT./TBL.
80/80-17	47 P	VRM-097	TT.
	41 P	VRM-258	TT./TBL.
	41 P	VRM-280	TT.
	41 P	VRM-347	TT.
	41 P	VRM-360	TT.
	-	VRM-362	TT.
80/90-14	40 P	VRM-282	TT./TBL.
	40 P	VRM-329	TT.
	40 P	VRM-338	TT.
	46 P	VRM-338	TT.
80/90-16	43 P	VRM-089	TT./TBL.
	43 P	VRM-282	TT./TBL.
	43 P	VRM-355	TBL.
80/90-17	44 P	VRM-081	TT.
	47 P	VRM-097	TT.
	43 P	VRM-106	TT.
	44 P	VRM-126	TT.
	44 P	VRM-159	TT.
	44 P	VRM-244	TT.
	44 P	VRM-292	TT.
	44 P	VRM-304R	TT.
	44 P	VRM-305	TBL.
	44 S	VRM-317	TT.
	44 P	VRM-322R	TBL.
	44 P	VRM-329	TT.
80/90-18	45 P	VRM-081	TT.
	48 J	VRM-089	TT.
	45 P	VRM-106	TT.

DIMENSION	INDEX	PATTERN	TT./TBL.
80/90-18	45 P	VRM-233	TBL.
80/90-21	48 S	VRM-294	TBL.
80/100-14	49 L	VRM-159	TT.
	49 P	VRM-250	TT.
	49 L	VRM-263	TT.
	49 P	VRM-259	TT.
80/100-16	46 P	VRM-086	TT.
80/100-18	47 S	VRM-160	TT.
	47 P	VRM-249	TBL.
90/65 R6.5	-	VRM-217	TBL.
	-	VRM-266	TBL.
	-	VRM-313	TBL.
	-	VRM-350	TBL.
90/80-5	-	VRM-197	TT.
90/80-14	59 L	VRM-087	TBL.
90/80-16	52 P	VRM-283F	TT.
90/80-17	46 S	VRM-224	TBL.
	46 P	VRM-280	TT.
	46 P	VRM-292	TBL.
	46 S	VRM-317	TT.
90/90-14	46 P	VRM-338	TT.
90/90-16	46 P	VRM-089	TT.
90/90-17	49 P	VRM-231	TT.
90/90-18	51 P	VRM-081	TT.
	52 P	VRM-086	TT./TBL.
	57 P	VRM-089	TT.
	57 P	VRM-159	TT.
	57 P	VRM-160	TT.
	57 P	VRM-250	TT.
	57 P	VRM-263	TT.
	57 P	VRM-359	TT.
90/90-19	52 S	VRM-158	TT.
	52 T	VRM-191	TBL.
90/100-18	54 S	VRM-299F	TBL.
95/70R17	-	VRM-266	TBL.
100/70-17	49 H	VRM-277	TBL.
100/70R17	49 H	VRM-317	TBL.
100/80-16	50 T	VRM-224	TBL.
100/80-16	56 P	VRM-283R	TT.
100/80-17	52 S	VRM-134	TT./TBL.
	52 H	VRM-249	TBL.
	52 S	VRM-294	TT./TBL.
	52 S	VRM-342	TBL.
100/90-17	52 S	VRM-351	TBL.
100/90-18	56 P	VRM-106	TT./TBL.
100/90-18	52 S	VRM-134	TBL.
100/90-18	52 S	VRM-160	TT./TBL.
100/90H18	56 H	VRM-191	TBL.
100/90-19	57 T	VRM-191	TBL.
	57 T	VRM-212	TT./TBL.
	57 H	VRM-361	TT./TBL.
110/50 R6.5	-	VRM-217	TBL.
	-	VRM-266	TBL.
	-	VRM-314	TBL.
	-	VRM-350	TBL.
110/70-16	52 S	VRM-224	TBL.
110/70-16	52 P	VRM-224	TBL.

DIMENSION	INDEX	PATTERN	TT./TBL.
110/70-17	54 H	VRM-249	TBL.
110/70R17	54 H	VRM-278	TBL.
110/80-14	53 P	VRM-359	TT.
110/80-17	57 H	VRM-249	TBL.
110/80-18	58 S	VRM-294	TBL.
110/90-16	59 P	VRM-227	TT./TBL.
110/90H18	61 H	VRM-192	TBL.
115/70R17	-	VRM-266	TBL.
120/70-15	56 P	VRM-224	TBL.
120/70-17	58 H	VRM-249	TBL.
120/80-16	60 S	VRM-224	TBL.
120/80-17	61 S	VRM-224	TBL.
120/90-16	63 H	VRM-192	TBL.
	63 S	VRM-195	TT./TBL.
	63 S	VRM-299F	TBL.
120/90H18	65 H	VRM-192	TBL.
125/55R17	-	VRM-266	TBL.
130/60-17	59 H	VRM-249	TBL.
130/70-16	61 P	VRM-224	TBL.
130/70-17	62 H	VRM-134	TBL.
	62 S	VRM-134	TT.
	62 T	VRM-134	TT./TBL.
	62 H	VRM-249	TBL.
	62 S	VRM-294	TT./TBL.
	62 S	VRM-342	TBL.
	62 S	VRM-351	TBL.
130/80-15	63 P	VRM-224	TBL.
130/80-16	64 T	VRM-224	TBL.
130/80-17	62 T	VRM-134	TBL.
	65 H	VRM-249	TBL.
130/90-15	66 S	VRM-103	TT.
	66 S	VRM-195	TT./TBL.
	66 P	VRM-232	TT.
130/90-16	67 T	VRM-192	TBL.
	67 T	VRM-212	TT./TBL.
130/90H17	68 H	VRM-192	TBL.
130/90H18	69 H	VRM-192	TBL.
140/70-16	65 S	VRM-224	TBL.
140/90H15	70 H	VRM-192	TBL.
140/90H16	71 H	VRM-192	TBL.
170/80B15	83 H	VRM-361	TBL.

TRAIL TIRES

DIMENSION	INDEX	PATTERN	TT./TBL.
2.50-16	36 L	VRM-219	TT.
2.50-17	43 M	VRM-021	TT.
2.75-14	35 L	VRM-022	TT.
	35 L	VRM-219	TT.
2.75-17	47 R	VRM-022	TT.
2.75-18	48 P	VRM-021	TT.
	42 R	VRM-022	TT.
	42 P	VRM-156	TT.
2.75-19	49 P	VRM-021	TT.
	49 R	VRM-022	TT.
2.75-21	50 P	VRM-021	TT.
	51 R	VRM-022	TT.

DIMENSION	INDEX	PATTERN	TT./TBL.
2.75-21	45 P	VRM-156	TT.
	45 P	VRM-193	TT.
	45 P	VRM-206	TT.
	45 P	VRM-221	TT.
3.00-14	40 R	VRM-021	TT.
3.00-16	52 R	VRM-022	TT.
3.00-17	48 R	VRM-022	TT.
3.00-18	52 P	VRM-021	TT.
	52 R	VRM-022	TT.
3.00-21	51 R	VRM-022	TT.
	51 R	VRM-156	TT.
	51 P	VRM-206	TT.
	51 P	VRM-221	TT.
3.25-16	56 R	VRM-022	TT.
3.25-17	60 R	VRM-022	TT.
3.25-18	59 R	VRM-021	TT.
3.50-16	58 R	VRM-022B	TT.
3.50-18	62 R	VRM-022B	TT.
	62 R	VRM-156	TT.
4.00-18	64 P	VRM-021	TT.
	64 R	VRM-022	TT.
	64 P	VRM-206	TT.
4.10-18	62 R	VRM-022B	TT.
	62 R	VRM-156E	TT.
	59 P	VRM-193	TT.
	60 P	VRM-206	TT.
	60 P	VRM-221	TT.
4.60-17	62 R	VRM-022	TT.
	62 R	VRM-156	TT.
4.60-17	62 P	VRM-206	TT.
4.60-18	63 P	VRM-221	TT.
60/100-16	33 P	VRM-156	TT.
80/90-21	48 P	VRM-122	TT.
80/100-14	49 P	VRM-156	TT.
90/90-18	51 R	VRM-156	TT.
90/90-19	52 J	VRM-122	TT.
90/90-21	54 H	VRM-193	TBL.
	54 P	VRM-193	TT.
	54 P	VRM-122	TT.
100/90-18	56 P	VRM-193	TT.
110/80-17	57 J	VRM-122	TT.
110/80-18	62 P	VRM-122	TT.
120/80-18	62 P	VRM-122	TT.
130/80-17	65 H	VRM-193	TBL.
	65 P	VRM-193	TT.

MOTOCROSS TIRES

DIMENSION	INDEX	PATTERN	TT./TBL.
2.50-8	220 LBS	VRM-237	TT.
2.50-10	33 J	VRM-140	TT.
	-	VRM-174	TT.
	32 J	VRM-270	TT.
2.50-12	42 J	VRM-270	TT.
2.50-14	-	VRM-174	TT.
2.50-15	-	VRM-174	TT.
2.50-17	43 M	VRM-031	TT.

DIMENSION	INDEX	PATTERN	TT./TBL.
2.50-18	-	VRM-174	TT.
2.75-10	37 J	VRM-271	TT.
	-	VRM-174	TT.
2.75-18	-	VRM-174	TT.
2.75-21	52 P	VRM-031	TT.
3.00-10	-	VRM-174	TT.
3.00-12	-	VRM-174	TT.
3.00-16	360 LBS	VRM-236	TT.
3.00-21	51 R	VRM-109	TT.
3.50-18	62 P	VRM-031	TT.
	62 P	VRM-109	TT.
4.00-18	64 P	VRM-109	TT.
4.10-14	69 M	VRM-109	TT.
4.10-17	67 R	VRM-147	TT.
4.50-17	67 P	VRM-109	TT.
4.50-18	72 P	VRM-109	TT.
4.60-17	62 P	VRM-109	TT.
60/100-14	29 M	VRM-272	TT.
70/100-17	40 M		

MOTOCROSS TIRES

DIMENSION	INDEX	PATTERN	TT./TBL
120/80-19	63 R	VRM-175	TT.
120/90-18	65 L	VRM-147	TT.
	65 M	VRM-175	TT.
	65 R	VRM-211	TT.
120/90-19	66 M	VRM-140	TT.
	66 M	VRM-200	TT.
120/100-18	68 M	VRM-140	TT.
	68 M	VRM-340R	TT.
130/90-17	68 P	VRM-147	TT.
130/90-18	69 R	VRM-147	TT.
140/80-18	70 R	VRM-147	TT.
	70 R	VRM-175	TT.
	70 R	VRM-211B	TT.

ENDURO TIRES

DIMENSION	INDEX	PATTERN	TT./TBL
2.75-21	45 P	VRM-163	TT.
4.10-18	59 P	VRM-163	TT.
5.10-17	-	VRM-251	TT.
5.10-18	-	VRM-251	TT.
80/100-19	49 P	VRM-354	TBL.
90/90-19	52 P	VRM-307	TT./TBL.
90/90-21	54 S	VRM-163	TT./TBL.
90/100-19	55 P	VRM-163	TT./TBL.
	55 P	VRM-298	TBL.
110/90-17	60 P	VRM-307	TT./TBL.
120/90-16	63 P	VRM-163	TT./TBL.
	63 P	VRM-298	TBL.
	63 P	VRM-354	TBL.
120/90-17	64 T	VRM-163	TT./TBL.
120/90-18	62 T	VRM-163	TBL.
130/80-17	65 S	VRM-163	TBL.
130/80-18	66 P	VRM-274	TT.
140/80-17	69 S	VRM-163	TBL.
140/80-18	73 R	VRM-303R	TT.
180/80-14	78 P	VRM-275	TT.

SNOW TIRES

DIMENSION	INDEX	PATTERN	TT./TBL
2.25-17	33 P	VRM-325	TT.
2.50-17	38 P	VRM-325	TT.
2.75-14 4PR	35 P	VRM-325	TT.
6PR	41 P	VRM-325	TT.
	-	VRM-331F	TT.
	-	VRM-331R	TT.
	41 P	VRM-339	TT.
	41 P	VRM-349	TT.
	41 P	VRM-353	TT.
3.00-10	-	VRM-346	TBL.
80/80-16	46 J	VRM-353	TBL.
90/80-16	52 J	VRM-353	TBL.
110/80-14	59 J	VRM-353	TBL.

TRIAL TIRES

DIMENSION	INDEX	PATTERN	TT./TBL
2.50-19	41 L	VRM-308F	TT.
2.75-21	45 L	VRM-308F	TT.
3.50 R17	54 L	VRM-308R	TBL.
4.00 R18	64 L	VRM-308R	TBL.

TRAIL	021, 022, 022B, 122, 156, 193, 206, 219, 221, 335F, 335R
TRIAL	308F, 308R
ENDURO	163, 251, 274, 275, 298, 303R, 307, 354

MOTOCROSS

PATTERN	SOFT	MEDIUM	HARD
031			
109			
140			
147			
174			
175			
200			
211			
229			
236			
237			
240			
243			
270			
271			
272			
273			
276			
300F			
300R			
335F			
335R			
340F			
340R			

O.E. TIRES/EUROPE & ASIA

	Pattern	Size	Load/Speed Index	TT./TBL	Applicable Rims Recommended Rim	Overall Diameter	Overall Width	
MOPED	VRM-099	2 1/2-16	42 J	TT.	1.60 X 16	544	70	
	VRM-201	2 1/2-16	42 P	TBL.	1.60 X 16	548	70	
	VRM-099	2 3/4-16	43 J	TT.	1.85 X 16	555	77	
	VRM-201	2 3/4-16	46 P	TBL.	1.85 X 16	558	77	
SCOOTER	VRM-054	3.00-10	42 J	TT.	2.15 X 10	429	86	
	VRM-134	3.00-10	42 J	TT.	2.15 X 10	405.5	83	
	VRM-100	100/80-10	56 J	TBL.	2.50 X 10	420	102.4	
	VRM-134	100/80-10	56 J	TBL.	2.50 X 10	419	95	
	VRM-144	100/80-10	53 L	TBL.	2.50 X 10	426	96	
	VRM-217	100/80-10	53 L	TBL.	2.50 X 10	423	100	
	VRM-098	100/90-10	56 J	TBL.	2.50 X 10	428.5	96	
	VRM-144	120/70-10	54 L	TBL.	3.50 X 10	421	120.5	
	VRM-217	120/70-10	54 L	TBL.	3.50 X 10	422	112	
	VRM-134	130/70-10	62 J	TBL.	3.50 X 10	433.7	123	
	VRM-112	130/90-10	61 J	TBL.	3.00 X 10	493.5	137	
	VRM-134	120/70-11	50 L	TBL.	3.50 X 11	448.6	114.2	
	VRM-134	130/70-11	60 L	TBL.	3.50 X 11	459	125	
	VRM-112	110/90-12	64 M	TBL.	2.50 X 12	502	107	
	VRM-134	120/70-12	51 L	TBL.	3.50 X 12	469	120	
	VRM-119C	120/70-12	60 P	TBL.	3.50 X 12	475	120	
	VRM-155	120/70-12	51 L	TBL.	3.50 X 12	475	122	
	VRM-119C	130/70-12	60 P	TBL.	3.50 X 12	491	128	
	VRM-155	130/70-12	56 L	TBL.	3.50 X 12	486	123.2	
	VRM-134	140/60-12	56 M	TBL.	3.50 X 12	476	141	
	VRM-184	120/70-13	53 L	TBL.	3.50 X 13	493	126	
	VRM-119C	120/70-13	53 P	TBL.	3.50 X 13	492	125	
	VRM-119C	130/60-13	60 L	TBL.	3.50 X 13	488	126.5	
	VRM-119C	130/60-13	60 P	TBL.	3.50 X 13	488	133	
	VRM-119B	130/60-13	53 J	TBL.	3.50 X 13	490	124	
	VRM-184	140/60-13	57 L	TBL.	3.50 X 13	510	135	
	VRM-281	120/70-14	61 H	TBL.	3.50 X 14	518	115	
	VRM-281	140/60-14	64 H	TBL.	3.50 X 14	533	132	
	VRM-144	110/80-14	59 J	TBL.	2.50 X 14	531.5	104	
	VRM-144	80/80-16	46 J	TBL.	1.85 X 16	543	176.1	
	VRM-144	90/80-16	52 J	TBL.	2.15 X 16	555	185	
	STREET	VRM-279F	2.25-17	33 L	TT.	1.40 X 17	558	61
		VRM-279R	2.50-17	38 L	TT.	1.60 X 17	568	67
		VRM-100	2.75-14	43 J	TT.	1.85 X 14	513	77
VRM-100		3.00-14	56 J	TT.	1.85 X 14	521	89.2	
VRM-100		3.25-16	56 J	TT.	2.15 X 16	591	97	
VRM-282		70/90-14	34 P	TT.	1.60 X 14	478	63.8	
VRM-282		80/90-14	40 P	TT.	1.85 X 14	493.5	73.5	
VRM-087		80/80-14	43 J	TT.	1.85 X 14	495	74	
VRM-087		90/80-14	59 L	TBL.	2.15 X 14	499	88.5	
VRM-234F		60/100-17	33 P	TT.	1.40 X 17	558.5	66.5	
VRM-295F		60/100-17	33 P	TT.	1.40 X 17	557	62	
VRM-304		60/100-17	33 P	TT.	1.40 X 17	551	60	
VRM-244		70/90-17	38 P	TT.	1.60 X 17	557.8	66.1	
VRM-234R		70/90-17	43 P	TT.	1.60 X 17	565	67.5	
VRM-295R		70/90-17	43 P	TT.	1.60 X 17	562	63	
VRM-244		80/90-17	44 P	TT.	1.85 X 17	575.5	75.3	
VRM-304		80/90-17	44 P	TT.	1.85 X 17	575	76.5	
VRM-097F		2.75/80-16	43 J	TT.	1.60 X 16	547	77	
VRM-097R		3.25/80-16	56 L	TT.	1.85 X 16	562	88	
VRM-224		100/80-16	50 T	TBL.	2.50 X 16	571	102	
VRM-134		100/80-17	52 S	TT.	2.50 X 17	604.8	96	
VRM-294		100/80-17	52 S	TT./TBL.	2.50 X 17	598	96	
VRM-274		110/70-16	52 P	TBL.	3.00 X 16	560	109	
VRM-224		130/70-16	61 P	TBL.	3.50 X 16	583	125	
VRM-134	130/70-17	62 S	TT.	3.50 X 17	610	121		
VRM-294	130/70-17	62 S	TT./TBL.	3.50 X 17	621	132		
TRAIL	VRM-122	80/90-21	48 P	TT.	1.85 X 21	690	78	
	VRM-122	90/90-21	54 P	TT.	2.15 X 21	714	93	
	VRM-193	100/90-18	56 P	TT.	2.50 X 18	642	103	
	VRM-122	110/80-18	62 P	TT.	2.50 X 18	647	103	
	VRM-193	130/80-17	65 P	TT.	3.00 X 17	642	128	
	VRM-219	2.50-16	36 L	TT.	1.60 X 16	545.3	67.2	
	VRM-219	2.75-14	35 L	TT.	1.85 X 14	510	72.5	
	VRM-221	3.00-21	51 P	TT.	1.85 X 21	701	84	
	VRM-221	4.10-18	60 P	TT.	2.50 X 18	648	114	
	MOTOCROSS JUNIOR	VRM-270	2.50-10	32 J	TT.	1.60 X 10	385	69
		VRM-271	2.75-10	37 J	TT.	1.60 X 10	396	77
		VRM-174	2.50-15		TT.	1.60 X 15	532	72
VRM-174		3.00-12		TT.	1.85 X 12	477	90.5	
VRM-273		80/100-12	41 M	TT.	1.85 X 12	455.5	81.5	
VRM-272		60/100-14	29 M	TT.	1.40 X 14	483	72	
VRM-140		2.50-10	33 J	TT.	1.60 X 10	394	72	
VRM-140		90/100-16	51 M	TT.	2.15 X 16	602	101	
VRM-140		70/100-19	62 M	TT.	1.60 X 19	600	74	
VRM-211		90/90-21 E.L.M. M	54 R	TT.	2.15 X 21	699	84	
VRM-211	120/90-18 E.L.M. I	65 R	TT.	2.75 X 18	671	112		
MOTOCROSS	VRM-308	2.75-21	45 L	TT.	1.85 X 21	695	77	
	VRM-308	4.00 R18	64 L	TBL.	MT 2.15 X 18	702	104	