

Printing date 16.01.2013 Version: 2 Revision: 16.11.2012

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: <u>SONAX GLOSS SHAMPOO WITH SOFTENER</u> **Article number:** 600600, 600705.03, 600800.01, 600941-050

1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Product category PC35 Washing and cleaning products (including solvent based products)

Application of the substance / the preparation Car care product

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0

#### Further information obtainable from:

Product safety

E-mail: erp@sonax.de Phone: + +49 (0) 8431 53 217

1.4 Emergency telephone number: Emergency Phone Munich Tel.: +49 (0)89 19240

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.

#### 2.2 Label elements

#### Labelling according to EU guidelines:

The product is not subject to classification according to the calculation methods of the "General Classification Guideline for Preparations of the EU" as issued in the latest valid version.

Observe the general safety regulations when handling chemicals.

#### 2.3 Other hazards

Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

**Description:** Aqueous tenside solution.

Dangerous compo	Dangerous components:				
	2-butoxyethanol	< 5%			
EINECS: 203-905-0	xn Ř20/21/22; xi R36/38				
	① Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319				
CAS: 14960-06-6	Sodium Lauriminodipropionate	< 5%			
EINECS: 239-032-7	x Xi R41				
	♦ Eye Dam. 1, H318				
Population (EC) No	Pagulation (EC) No 648/2004 on detergents / Labelling for contents				

Regulation (EC) No 648/2004 on detergents / Labelling for contents	
amphoteric surfactants, non-ionic surfactants	< 5%
perfumes, Limonene, Linalool, methylisothiazolinone, benzisothiazolinone	·

Additional information: For the wording of the listed risk phrases refer to section 16.

# SECTION 4: First aid measures

#### 4.1 Description of first aid measures

General information: No special measures required. After inhalation: No special measures required

After skin contact:

Generally the product does not irritate the skin.

Wash the areas of skin affected with water and a mild detergent.

(Contd. on page 2)



Printing date 16.01.2013 Version: 2 Revision: 16.11.2012

Trade name: SONAX GLOSS SHAMPOO WITH SOFTENER

(Contd. of page 1)

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

# SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: The normal measures for firefighting are to be taken.

# SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly. Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground. Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Protect from frost.

Recommended storage temperature: 20 °C.

Storage class: 12

7.3 Specific end use(s) No further relevant information available.

# SECTION 8: Exposure controls/personal protection

111-76-2 2-butoxyethanol		
WEL (Great Britain)	Short-term value: 246 mg/m³, 50 ppm Long-term value: 123 mg/m³, 25 ppm Sk, BMGV	
IOELV (EU)	Short-term value: 246 mg/m³, 50 ppm Long-term value: 98 mg/m³, 20 ppm Skin	

DITLLO		
111-76-2	2-butox	ryethanol
Oral	DNEL	13.4 mg/kg (consumer) (acute effect)
		3.2 mg/kg (consumer) (chronic effect (24h))

(Contd. on page 3)



Printing date 16.01.2013 Version: 2 Revision: 16.11.2012

Trade name: SONAX GLOSS SHAMPOO WITH SOFTENER

Dermal DNEL 44.5 mg/kg (consumer) (acute effects (24h))

38 mg/kg (consumer) (chronic effect (24h))

89 mg/kg (worker) (acute effect (24h))

75 mg/kg (worker) (chronic effects (24h))

Inhalative DNEL 426 mg/m³ (consumer) (acute effects)

123 mg/m³ (consumer) (acute effect, local effects)

49 mg/m³ (consumer) (chronic effect)

663 mg/m³ (worker) (acute Effect)

246 mg/m³ (worker) (acute effect, local effects)

98 mg/m³ (worker) (chronic effects)

#### **PNECs**

## 111-76-2 2-butoxyethanol

PNEC 2.8 mg/kg (gro)

8.14 mg/kg (sediment (fresh water))

8.8 mg/l (water (fresh water))

8.8 mg/l (water (sea water))

# Ingredients with biological limit values:

#### 111-76-2 2-butoxyethanol

BMGV (Great Britain) 240 mmol/mol creatinine

Medium: urine

Sampling time: post shift Parameter: butoxyacetic acid

Additional information: The lists valid during the making were used as basis.

#### 8.2 Exposure controls

#### Suitable technical control devices

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

#### Personal protective equipment:

#### General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

# Respiratory protection:

Not required in normal cases

Ensure good ventilation/exhaustion at the workplace. **Protection of hands:** Not required in normal cases **Eye protection:** Not required in normal cases

# SECTION 9: Physical and chemical properties

9.1 Information on basic physical a	and chemical properties
Appearance:	
Form:	Fluid
Colour:	Yellowish
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value at 20 °C:	8.5 - 9.5 (10g/l) 7,0 - 8,0
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. ≥ 100 °C
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.

(Contd. on page 4)



Printing date 16.01.2013 Version: 2 Revision: 16.11.2012

Trade name: SONAX GLOSS SHAMPOO WITH SOFTENER

		(Contd. of page
Ignition temperature:		
Decomposition temperature:	Not determined.	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not determined.	
Density at 20 °C:	1.05 - 1.06 g/cm³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity:		
Flow time at 20 °C	10 - 15 s (DIN EN ISO 2431/4mm)	
Dynamic:	Not determined.	
Kinematic:	Not determined.	
9.2 Other information	No further relevant information available.	

# SECTION 10: Stability and reactivity

- 10.1 Reactivity No dangerous reactions known.
- 10.2 Chemical stability Stable under normal conditions.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid See Section 7 for information on safe handling.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# SECTION 11: Toxicological information

11.1 Information on toxicological effects There are no toxicological findings on this mixture. Acute toxicity:

	7.00.00						
	LD/LC50 values relevant for classification:						
Ī	111-76-2	2-butoxye	ethanol				
Ī	Oral	LD50	1746 mg/kg (rat)				
	Dermal	LD50	2270 mg/kg (rabbit)				
	Inhalative	LC50/4h	2 - 20 mg/l (rat)				

#### Primary irritant effect:

### on the skin:

On the basis of the available data, the classification criteria are not complied with (Conventional Method). on the eye:

On the basis of the available data, the classification criteria are not complied with (Conventional Method). **Sensitization:** 

On the basis of the available data, the classification criteria are not complied with (Conventional Method). **Additional toxicological information:** 

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

### Repeated dose toxicity

On the basis of the available data, the classification criteria are not complied with (Conventional Method).

Contd. on page 5)



Printing date 16.01.2013 Version: 2 Revision: 16.11.2012

Trade name: SONAX GLOSS SHAMPOO WITH SOFTENER

(Contd. of page 4)

#### CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

None of the ingredients are known to have effects which are carcinogenic, mutagenic or harmful to reproduction.

# SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

Aqu	Aquatic toxicity:					
111-	111-76-2 2-butoxyethanol					
Oral	EC0/16h	700 mg/l (Pseudomonas putida)				
	EC0/168h	900 mg/l (scenedesmus quadricauda) (Zellvemehrungshemmtest)				
	EC50 / 24h	1720 mg/l (Daphnia magna)				
	LC 50 / 96 h	1490 mg/l (Lepomis macrochirus)				

#### 12.2 Persistence and degradability

The surface-active substances contained in the product meet the requirement of the EU Detregent Regulation (EC/648/2004) for ultimate biodegradability for surfactants in detergents.

111	-76	-2	2-	butc	X	y	et	h	a	n	O	ı	
			••		_	_	_	_	_	_	_	_	=

Biodegradiation 100 % (-) (OECD 301C)

#### 12.3 Bioaccumulative potential

#### 111-76-2 2-butoxyethanol

log Kow 0.81 log Kow (-) ([25 °C (OECD 107)])

12.4 Mobility in soil No further relevant information available.

# Additional ecological information:

#### General notes:

The product may not be released into the environment without control.

The product does not contain organically bounded halogens (AOX-free).

The product does not contain organic complexing agents.

# 12.5 Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

**12.6 Other adverse effects** No further relevant information available.

## SECTION 13: Disposal considerations

# 13.1 Waste treatment methods

Recommendation Waste must be disposed of while observing the local, official regulations.

### European waste catalogue

- 1) Disposal / product
- 2) Disposal / contaminated packaging

20 01 30	detergents other than those mentioned in 20 01 29	9
----------	---	---

15 01 02 plastic packaging

# SECTION 14: Transport information

14.1 UN-Number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No

(Contd. on page 6)



Printing date 16.01.2013 Revision: 16.11.2012 Version: 2

Trade name: SONAX GLOSS SHAMPOO WITH SOFTENER

(Contd. of page 5)

14.6 Special precautions for user Not applicable.

# SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture National regulations:

#### Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

Employment restrictions concerning juveniles must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

Harmful if swallowed. H302 H312 Harmful in contact with skin. H315 Causes skin irritation. H318 Causes serious eye damage.

H319 Causes serious eye irritation.

Harmful if inhaled. H332

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R36/38 Irritating to eyes and skin. R41 Risk of serious damage to eyes.

#### Abbreviations and acronyms:

NOEL = No Observed Effect Level NOEC = No Observed Effect Concentration LC = letal Conentration

EC50 = half maximal effective conentraion

log POW = Octanol / water partition coefficient

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values