15.01.2013

Page: 1/4

1. Identification of the substance/preparation and company

Trade name

Sonax ColdCleaner Fast Acting articlenumber 542500.03/-800.01

Usage

Maintenance Products

Company

Sonax GmbH Münchener Straße 75

D-86633 Neuburg/Donau

Tel. (0049) 8431/53-0 Fax. (0049) 8431/53390

E-Mail: ERP@sonax.de

Information provided by: Phone (00 49)84 31/53-2 17

Emergency telephone number: 0049 84 31 53-0 (Only during business hours)

2. Hazards identification

Harmful: may cause lung damage if swallowed.
Repeated exposure may cause skin dryness or cracking.

3. Composition/information on ingredients

Chemical characterization

Specification preparation of benzine and emulsifier

Hazardous ingredients

CAS no. EINECS no. concentration haz.sym. R phrases Hazardous substance name

64742-47-8 265-149-8 >50 % Xn Distillates (petroleum), hydrotreated light

R65, R66

Page: 1/4

4. First aid measures

First aid measures / general information Change soaked clothing

First aid measures / inhalation Ensure supply of fresh air.

First aid measures / skin contact
In case of contact with the skin, wash with soap and water and rinse thoroughly.

First aid measures / eye contact
In case of contact with eyes rinse thoroughly with water

No.: 5420000 Version: 1.03.11 revised to: 11.11.2011



15.01.2013

Page: 2/4

First aid measures / ingestion
Do not induce vomiting.
Refer for medical treatment.

5. Fire-fighting measures

Suitable extinguishing media foam dry powder carbon dioxide water spray jet

Extinguishing media that must not be used for safety reasons Full water jet

6. Accidental release measures

environmental precautions
Do not discharge into surface waters/groundwater.
Do not discharge into the subsoil/soil.

methods for cleaning up/taking up
Take up with absorbent material (e.g. general-purpose binder).

7. Handling and storage

Handling

Advice on safe handling
Use only in well-ventilated areas.

Advice on protection against fire and explosion Keep away from sources of ignition

Storage

Requirements for storage rooms and vessels Provide solvent-resistant and impermeable floor.

Advice on storage compatibilty Do not store together with food.

Further information on storage conditions Keep container tightly closed Keep container in a well-ventilated place Recommended storage temperature: 20 °C.

8. Exposure controls/personal protection

Ingredients with occupational exposure limits to be monitored:

Personal protective equipment

Hand protection Gloves made of nitrile-rubber. Penetration time into the glove material >480min.

Hygiene measures

No.: 5420000 Version: 1.03.11 revised to: 11.11.2011 Page: 2/4



15.01.2013

Page: 3/4

Wash hands before breaks and after work.

9. Physical and chemical properties

Appearance

Form : Liquid
Colour : yellow

Odour : characteristic

Data relevant to safety

Starts to boil 190 °C

Flash point: 78 °C

Method: DIN 51758

Density at: 20°C 0,80-0,81 g/ml

Solubility in water: at 20°C 0%

pH-value: not applicable

Outflow time with 20°C 10 - 15 sec

Method: DIN EN ISO 2431/4mm

Further Information

10. Stability and reactivity

Hazardous reactions

No hazardous reactions known.

Hazardous decomposition products

No hazardous decomposition products known.

11. Toxicological information

No toxicological data are available.

12. Ecological information

Ecological data are not available
Do not discharge product unmonitored into the environment.

13. Advice on disposal

Disposal / product

In accordance with regulations for special waste, must be taken to an authorised special waste disposal site or incineration plant.

Code

20 01 13

No.: 5420000 Version: 1.03.11 revised to: 11.11.2011 Page: 3/4



15.01.2013

Page: 4/4

Disposal / contaminated packaging 15 01 10

14. Transport information

Not classified as hazardous goods in accordance with GGVS/GGVE, RID/ADR, ADNR, IMDG, IATA-DGR

15. Regulatory information

```
Labelling
The product is classified and labelled in accordance with EC
directives/the relevant national laws.
Hazard symbols
Xn Harmful
R phrases
R65
Harmful: may cause lung damage if swallowed.
Repeated exposure may cause skin dryness or cracking.
S phrases
Keep out of the reach of children.
S23.3
Do not breathe vapour.
Avoid contact with skin.
Use only in well ventilated areas.
If swallowed, do not induce vomiting: seek medical advice
immediately and show this container or label.
Water hazard class / source
( german only )
```

Other regulations, restrictions and prohibition regulations

16. Other information

```
List of R-Phrases/wording of the ingredients classified under point 3 R65 Harmful: may cause lung damage if swallowed R66 Repeated exposure may cause skin dryness or cracking
```

All data are based on our current knowledge and information. They are intended to describe our products with regard to safety requirements and thus do not purport to warrant any specific qualities.

No.: 5420000 Version: 1.03.11 revised to: 11.11.2011 Page: 4/4